

UNIT-IPHPIntroductionPHP:-

The PHP Hypertext Preprocessor (PHP) is a programming language that allows web developers to create dynamic content that interacts with databases. PHP is basically used for developing web based software applications.

- PHP is a recursive acronym for "PHP: Hypertext Preprocessor"
- PHP is a server side scripting language that is embedded in HTML. It is used to manage dynamic content, databases, session tracking, even build entire-commerce sites.
- the syntax is based on perl, java &c.

History:- PHP is development from a project called Personal Home Page tools which was started by Rasmus Lerdorf in 1994.

- PHP is an interpreted language, i.e., there is no need for compilation.
- PHP is faster than other scripting language e.g. ASP & JSP

Common uses of PHP:-

- * PHP performs system functions, i.e. from files on a system it can create, open, read, write & close them.
- * PHP can handle forms i.e., gather data from files, save data to a file, through email you can send data, return data to the user.
- * You can add, delete, modify elements within your database through PHP.
- * Access cookies variables & set cookies.
- * Using PHP, you can restrict users to access some pages of your website.
- * It can encrypt data.

Declaring Variables :-

In PHP, a variable starts with \$sign, followed by the name of the variable.

→ In this example, the variable \$name is placed after the \$ sign.

PHP Examples:-

<!DOCTYPE

output : Hello, by PHP!!!

<html>

<body>

{ <?php

echo "<h2>Hello by PHP </h2>";

?>

</body>

</html>

→ after execution

Declaring Variables :-

In PHP, a variable starts with the \$sign, followed by the name of the variable: Syntax

<?php

\$variablename = value;

\$txt = "HelloWorld!";

\$x = 5;

\$y = 10.5;

?>

After the execution of the statements above, the

variable \$txt will hold the value HelloWorld!, the variable \$x will hold the value 5, and the variable \$y will hold the value 10.5.

Start PHP:

To get access to a web server with PHP support, you can:

- Install Apache (or IIS) on your own server, install PHP, and MySQL
- Or find a web hosting plan with PHP and MySQL support.

Softwares needed:

- If your server supports PHP you don't need to do anything. Just create some .php files in your web directory, and the server will parse them for you. Because it is free, most web hosts offer PHP support.
- However, if your server does not support PHP, you must install PHP.
 - ❖ Download PHP free here: <http://www.php.net/downloads.php>
 - ❖ Download MySQL Database free here: <http://www.mysql.com/downloads/>
 - ❖ Download Apache Server free here: <http://httpd.apache.org/download.cgi>

Creating PHP script:

- The PHP code began with <?php and ended with ?>.
- This is similar to all HTML tags because they all begin with a less than (<) symbol and end with a greater than (>) symbol. These symbols (<?php and ?>) are called **PHP tags**.
- They tell the web server where the PHP code starts and finishes.
- Any text between the tags is interpreted as PHP.
- Any text outside these tags is treated as normal HTML.

EX:<?php

?>

- A PHP file must have a .php extension.
- A PHP file normally contains HTML tags, and some PHP scripting code.
- Below, we have an example of a simple PHP script that sends the text "Hello World" back to the browser:

message.php:

```
<html>
  <body>
    <?php
      echo "Hello World";
    ?>
  </body>
</html>
```

- Each code line in PHP must end with a semicolon (;).
- The semicolon is a separator and is used to distinguish one set of instructions from another.
- There are two basic statements to output text with PHP: echo and print.
- In the example above we have used the echo statement to output the text "Hello World".
- The code that you now have in this file consists of four types of text:
 - ❖ HTML
 - ❖ PHP tags
 - ❖ PHP statements


PHP Variable
var
A
desc
P

* Whitespace

You can also add comments. Most of the lines in the example are just plain HTML.

Running PHP code:

- First start the xampp control panel, then start Apache server, and MySQL server.
- In C:/xampp, you should save your PHP files in htdocs folder (which is in xampp directory, usually C:\xampp\htdocs).
- Easiest way to run them is open your web browser (Internet explorer, Firefox etc.) type <http://localhost/message.php> (assuming you have started Apache server, and you stored message.php in htdocs folder).
- Then the message "Hello World" print on the browser.
- To run php files, just use browser, that's enough.



Comments in PHP:

In PHP, we use // to make a one-line comment or /* and */ to make a comment block:

```
<html>
  <body>
    <?php
      //This is a comment
      /*
        This is
        a comment block
      */
    ?>
  </body>
</html>
```

PHP Variables :-

A variables can have a short name (like x and y) or more descriptive name (age, carname, total_volume).

Rules for PHP Variables:-

A variable starts with the \$ sign, followed by the name of the variable.

A variable name must start with a letter & the underscore character.

A variable name cannot start with a number.

A variable name can only contain alpha-numeric characters & underscores (A-Z, @, #, %, and _).

Variable names are case-sensitive (\$age and \$AGE are two different variables).

PHP is a loosely Typed language

In the example above, notice that we did not have to tell PHP which datatype the variable is. PHP automatically converts the variable to the correct datatype, depending on its value. In other languages such as C, C++, & Java, the programmer must declare the name & type of the variable before using it.

PHP Variables Scope:-

In PHP, Variables can be declared anywhere in the script. The scope of a variable is the part of the script where the variable can be referenced / used.

PHP has three different variable scopes:

local
global

Static

Global and Local scope :-

A variable declared outside a function has a GLOBAL SCOPE and can only be accessed outside or function.

```
<?php
```

```
$x=5; // global Scope
```

```
function myTest()
```

```
{ // using x inside this function will generate an error
```

```
echo "<p> Variable x inside function is: $x </p>";
```

```
}  
myTest();
```

```
echo "<p> Variable x outside function is: $x </p>";
```

```
?>
```

A variable declared within a function has a LOCAL SCOPE and can only be accessed within that function.

```
<?php
```

```
function myTest()
```

```
$x=5; // local scope
```

```
echo "<p> Variable x inside function is: $x </p>";
```

```
}
```

```
myTest();
```

```
echo "<p> Variable x outside function is: $x </p>";
```

```
echo "<p> Variable x inside function is: $x </p>";
```

```
echo "<p> Variable x outside function is: $x </p>";
```

```
?>
```

Data Types :-

PHP datatypes are used to hold different types of data values. (1) Variables can store data of different types, and different datatypes can do different things.

PHP supports 8 primitive datatypes that can be categorized further in 3 types;

① scalar types

② Compound Types

③ Special types

Scalar Types :

there are 4 Scalar data types in PHP.

① boolean

② Integer

③ float

④ String

Compound Types :

there are 2 Compound data types in PHP.

① array

② object

Special Types :

there are 2 Special data types in PHP.

① resource

② Null

PHP String:

A String is a Sequence of characters, like "HelloWorld!".

A String can be any text inside quotes. you can use single or double quotes.

```
<?php  
$x = "Helloworld!";  
$y = "Helloworld!";  
echo $x;  
echo "<br>";  
echo $y;  
?>
```

PHP Integers :-

An Integer is a whole number (without decimals). It is a number between $-2,147,483,648$ and $+2,147,483,647$.

Rules for Integers:-

An integer must have at least one digit (0-9).

An integer Cannot Contain commas or blanks

An integer must not have a decimal point

An integer Can be either positive or negative.

Integers can be specified in three formats:

decimal (10-based)

hexadecimal (16-based - prefixed with 0x)

Octal (8-based - prefixed with 0)

In the following example \$x is an integer.

The PHP var_dump() function returns the datatype & value:

```
<?php  
$x = 5985;  
var_dump($x);  
?>
```

Float:-

A float (floating point number) is a number with a decimal point or numbers in exponential form. In the following example \$x is float. The PHP var_dump() function returns the datatype and value:

```
<?php  
$x = 10.365;  
var_dump($x);  
?>
```

PHP Boolean:-

A Boolean represents two possible states: TRUE or FALSE

```
$x = true;
```

```
$y = false;
```

PHP Array:-

An array stores multiple values in one single variable.

In the following example \$cars is an array. The PHP var_dump() function returns the datatype and value:

```
<?php  
$cars = array ("Volvo", "BMW", "Toyota");  
var_dump($cars);  
?>
```

PHP Object:-

An object is a datatype which stores data & information on how to process that data.

In PHP, an object must be explicitly declared.

In PHP, an object must be explicitly declared. For this, we use the class keyword. A class is a structure that can contain properties & methods:

```
<?php  
class Car {  
    function Car()  
}
```

```
{  
    $this->model = "vw";  
}  
}  
  
//Create an object  
  
$herbie = new Car();  
  
// Show object properties  
echo $herbie->model;  
?>
```

* Array

PHP NULL Value:-

Null is a special datatype which can have only one value ?NULL
A variable of datatype NULL is a variable that has no value assigned to it.

```
<?php  
    $x="HelloWorld!";  
    $x=null;  
    var_dump($x);  
?>
```

PHP Resource :-

The special resource type is not an actual datatype. It is the storing of a reference to functions and resources external to PHP.

Array :-

It is an ordered list of values.

Advantage
 Because we don't need to do the multiple variable
 easy to traverse & sort by the help of while
 we can set array loop we can
 traverse all the elements of an array

An Array is a Special Variable, which can hold more than one value at a time.

If you have a list of items (a list of car names, for example),

Storing the Cars in Single Variables could look like this:

```
$cars1 = "Volvo"; $cars2 = "BMW"; $cars3 = "Toyota";
```

```
$cars2 = "BMW";
```

```
$cars3 = "Toyota";
```

However, what if you want to loop through the Cars & find a

specific one? And what if you had not 3 cars, but 300?

The solution is to Create an array!

An array can hold many values under a single name and you

can access the values by referring to an index number.

Create an Array in PHP

In PHP, the array() function is used to create an array.

In PHP, there are three types of arrays:

① Indexed arrays - Arrays with a numeric index

② Associative Arrays - Arrays with named keys

③ Multi dimensional Arrays - Arrays containing one or more arrays

PHP Indexed Arrays:-

there are two ways to create indexed arrays:

the index can be assigned automatically (index always starts at 0), like this: we can store number in the array.

```
$cars = array ("Volvo", "BMW", "Toyota");
```

```
$cars[0] = "volvo";
```

```
$cars[1] = "winter";
```

```
$cars[2] = "Toyota";
```

the following example creates an indexed array named \$cars, assigns three elements to it, and then prints a text containing the array values:

```
<?php  
$cars = array ("volvo", "BMW", "Toyota");  
echo "I like" . $cars[0] . "," . $cars[1] . "and" . $cars[2] . ";" ;  
?  
" I like: $cars[0], $cars[1], $cars[2]"
```

PHP Associative Arrays:-

Associative arrays are arrays that use named keys that you assign to them. Using \Rightarrow symbol we can associate name with each array element.

```
$age = array ("Peter"  $\Rightarrow$  "35", "Ben"  $\Rightarrow$  "37", "Joe"  $\Rightarrow$  "43");  
<?php  
$age = array ("Peter"  $\Rightarrow$  "35", "Ben"  $\Rightarrow$  "37", "Joe"  $\Rightarrow$  "43");  
echo "Peter is" . $age['Peter'] . "years old.";  
?  
Peter is 35 years old.
```

PHP Multidimensional Arrays:-

It is also known as array of arrays. It is represented in the form of matrix which is represented by row * column.

Ex:- <?php

```
$emp = array (array (1, "sonoo", 4000),  
              array (2, "john", 5000),  
              array (3, "rahul", 3000));  
for ($row=0; $row<3; $row++) {  
    for ($col=0; $col<3; $col++) {  
        echo $emp[$row][$col]. " ";  
        echo "\br";  
    }  
}  
?  
1 sonoo 4000  
2 john 5000  
3 rahul 3000
```

Strings:- *(point read "about" function, "e, used to store & manipulate text")*

A String is a sequence of characters, like "HelloWorld!". We can specify string by using " ".

Get the Length of a String:-

The PHP strlen() function returns the length of a String.

The example below returns the length of the String "HelloWorld!":

```
<?php
```

```
echo strlen("HelloWorld!"); // output:12
```

```
?>
```

Count the Number of words in a String:-

The PHP str_word_count() function counts the root words in a string.

```
<?php
```

```
echo str_word_count("Hello world!"); // output:2
```

```
?>
```

Reverse a String:-

The PHP strrev() function reverses a string.

```
<?php
```

```
echo strrev("HelloWorld!"); // output:dlrowolleH
```

```
?>
```

String Concatenation Operator:-

To concatenate two string variables together, use the dot(.) operator.

```
<?php
```

```
$string1 = "HelloWorld";
```

```
$string2 = "1234";
```

```
echo $string1 . "-" . $string2; // output:- HelloWorld1234
```

```
?>
```

Using the strpos() function:-

The strpos() function is used to search for a string or character within a string. This function will return the position of the first match. If no match is found, it will return FALSE.

If a match is found in the string, this function will return the position of the first match. If no match is found, it will return FALSE.

Let's see if we can find the String "world" in our String -

<?php

```
echo strpos("Helloworld", "world"); //output: 6
```

?>

Note:- the first character position in a String is 0 (not 1)

Replace Text within a String:-

the PHP str_replace() function replaces some characters with some other characters in a String. The example below replaces the text "world" with "Dolly".

<?php

```
echo str_replace("world", "Dolly", "Hello world!"); //output: Hello Dolly!
```

?>

* **Operations:-** An operation is a symbol that specifies a particular action in an expression. Operations are classified into different types. An operation is a symbol i.e., used to perform operations on operands.

(a) Arithmetic Operations:-

The arithmetic operations are,

operations	label	example
+	addition	\$a + \$b
-	subtraction	\$a - \$b
*	multiplication	\$a * \$b
/	division	\$a / \$b
%	modulus	\$a % \$b

(b) Assignment Operations:-

Assignment operations mainly used to assign a data value to a variable. The simplest form of assignment operator just assigns some value.

operations	label	example
=	Assignment	\$a = 5
+=	Addition-assignment	\$a += 5
*=	Multiplication-assignment	\$a *= 5
/=	Division-assignment	\$a /= 5
.=	Concatenation-assignment	\$a .= 5

String Operators:- PHP's string operators provide two operators, not two operators useful for concatenation of the two strings.

operator	label	example	output
.	Concatenation	$$txt1 . $txt2$	concatenation of \$txt1 and \$txt2
=	Concatenation - assignment	$$txt1 .= $txt2$	Appends \$txt2 to \$txt1

(d) Increment and decrement Operators:-

Increment (++) and decrement (-) operators increment by 1 and decrement by 1 from the current value of a variable.

operator	Name	Description	result
++	increment	$++$var, $var++$	increment \$var by 1
--	Decrement	$--$var, $var--$	decrement \$var by 1

(e) logical operators:-

The PHP logical operators are used to combine conditional statements.

Logical operators make it possible to direct the flow of program and are used frequently with control structures such as the if conditional and while loops.

operator	Name	Example	Result
and	And	$$x \text{ and } y	True if both \$x and \$y are true
or	Or	$$x \text{ or } y	True if either \$x or \$y is true
Xor	Xor	$$x \text{ xor } y	True if either \$x or \$y is true, but not both
&&	And	$$x \&\& y	True if both \$x and \$y are true
	Or	$$x y	True if either \$x or \$y is true
!	Not	$!$x$	True if \$x is not true

(f) Equality Operators -
equality operators are used to compare two values, testing for equivalence.

operator label Example

$<$ less than $\$a < \b

$>$ greater than $\$a > \b

\leq less than or equal to $\$a \leq \b

\geq greater than or equal to $\$a \geq \b

(g) bitwise operators -

Bitwise operators are used for variations on some of the logical operators.

operator name Example Result

$\&$ AND $\$a \& \b and together each bit contained in $\$a$ and $\$b$

$|$ OR $\$a | \b or together each bit contained in $\$a$ and $\$b$

\wedge XOR $\$a \wedge \b exclusive or together each bit contained in $\$a$ and $\$b$

\sim NOT $\sim \$b$ negate each bit in $\$b$

\ll shift left $\$a \ll \b $\$a$ will receive the value of $\$b$ shifted left two values

\gg shift right $\$a \gg \b $\$a$ will receive the value of $\$b$ shifted right two values.

expressions:-

An expression is a phrase representing a particular action in a program. All expressions consist of atleast one operand and one or more operations.

Ex:-

`$a=5; // assign integer value 5 to the variable $a`

`$a="5"; // assign string value "5" to the variable $a`

`$a="abit"; // assign "abit" to the variable $a`

→ Here, operands are the input expressions,

Ex:- `$a++; // $a is the operand`

`$sum = $val1 + $val2; // $sum, $val1, $val2 are operands`

Control Structures | statements:-

PHP supports different types of statements like,

(1) if Statement:-

PHP if statement is executed if Condition is true.

Syntax:-

`if(condition) {`

`// Code to be executed`

`}`

Example:-

`<?php`

`$num=12;`

`if($num<100) {`

`echo "$num is less than 100";`

`}`

`?>`

Output:-

12 is less than 100

if-else Statement:-

PHP if-else statement is executed whether condition is true or false.

Syntax:-

if(condition)

{ // Code to be executed if true

} else {

// Code to be executed if false

}

Example:-

```
<?php  
$num=12;  
if($num%2==0){  
    echo "$num is even number";  
} else {  
    echo "$num is odd number";  
}  
?>
```

Output:-

12 is even number

Switch Statement:-

PHP Switch Statement is used to execute one Statement from multiple conditions. It works like PHP if-else-if Statement.

Syntax:-

Switch(expression) {

Case Value:

// Code
break

// Code to be executed

break;
Case Value2:

// Code to be executed

break;

default:

Code to be executed if all cases are not matched;

}

Example:-

<?php

\$num=20;

Switch (\$num) {

case 10;

echo ("number is equal to 10");

break;

case 20:

echo ("number is equal to 20");

break;

case 30:

echo ("number is equal to 30");

break;

default:

echo ("number is not equal to 10, 20 or 30");

}

?>

output:-

number is equal to 20

PHP forloop Statement:-

PHP for loop can be used to traverse set of code for the specified number of times.

syntax:-
while

Syntax:-

```
for(initialization; Condition; increment/decrement)  
{   //code to be executed  
}
```

Example:-

```
<?php  
for($n=1; $n<=10; $n++)  
{   echo "<br>$n";  
}  
?>
```

Output:-

```
1  
2  
3  
4  
5  
6  
7  
8  
9  
10
```

Nested forloop:-

We can use forloop inside forloop in PHP, is known as nested forloop

Example:-

```
<?php  
for($i=1; $i<=3; $i++)  
{  
    for($j=1; $j<=3; $j++)  
    {  
        echo "<br>$i $j";  
    }  
}  
?>
```

Output:-

```
1 1  
1 2  
1 3  
2 1  
2 2  
2 3  
3 1  
3 2  
3 3
```

Syntax:-

```

while(Condition)
{
    //Code to be executed
}

```

Example:-

```

<?php
$n=1;
while($n<=10)
{
    echo "$n<br>";
    $n++;
}
?>

```

Output:-

```

1
2
3
4
5
6
7
8
9
10

```

PHP do while loop:-

PHP do while loop ^{can be} used to traverse set of code like php while loop. the PHP do-while loop is guaranteed to run atleast once.

It executed the code atleast onetime always because

Condition is checked after executing the code.

Syntax:-

```

do {
    //Code to be executed
} while(Condition);

```

for Each loop Statement:-

PHP for Eachloop is used to traverse array elements.

Syntax:-

```
foreach($array as $var)
{
    //Code to be executed
}
```

Example:-

```
<?php
```

```
$season = array ("summer", "winter", "Spring", "autumn");
```

```
foreach($season as $var)
```

```
{
```

```
    echo "Season is:$var<br/>";
```

```
}
```

```
?>
```

Output:-

```
Season is: Summer
```

```
Season is: winter
```

```
Season is: Spring
```

```
Season is: autumn
```

PHP while loop:-

PHP while loop is used to traverse set of code like for loop. It should be used if no of iteration is not known.

Example:-
<?php

Example:-

```

<?php
$n=1;
do
{
    echo "<b>$n</b>";
    $n++;
} while($n<=10);
?>

```

Output:-

1
2
3
4
5
6
7
8
9
10

break and goto Statement:-

PHP break Statement break the execution of current for, while, do-while, Switch & for-each loop. If you use break inside inner loop, it breaks the execution of inner loop only.

Syntax:-

jump Statement;
break;

Example:-

```
<?php
for($i=1; $i<=10 ; $i++)

```

```
{
    echo "<b>$i</b>";
}
```

```
if($i==5) {
```

```
    break;
}
```

```
?>
```

```
?>
```

```
?>
```

Output:-

1
2
3
4
5

Goto:- this means we can suddenly jump to a specific location outside of a looping or Conditional Construct.

Continue:-

Continue Statement execute the current loop iteration to the end.

Function:

- Function is a set of statements for performing a task.
- A function will be executed by a call to the function.
- You may call a function from anywhere within a page.

Create a PHP Function:

- A function will be executed by a call to the function.
- In PHP the function will be created with a keyword "function".

Syntax:

```
function functionName()
{
    code to be executed;
}
```

PHP function guidelines:

- Give the function a name that reflects what the function does
- The function name can start with a letter or underscore (not a number)

Example:

A simple function that writes my name when it is called:

```
<html>
<body>
<?php
    function add()
    {
        $a=10;
        $b=20;
        echo "Addition=".($a+$b);
    }
    add();
?
</body>
</html>
```

Output:

Addition=30

PHP Functions - Adding parameters:

- To add more functionality to a function, we can add parameters. A parameter is just like a variable.
- Parameters are specified after the function name, inside the parentheses.

Example:

```
<html>
  <body>
    <?php
      function add($a,$b)
      {
        echo "Addition=".($a+$b);
      }
      add(10,20);
    ?>
  </body>
</html>
```

PHP Functions - Return values:

To let a function return a value, use the return statement.

Example:

```
<html>
  <body>
    <?php
      function add($x,$y)
      {
        $total=$x+$y;
        return $total;
      }
      echo "1 + 16 = ".add(1,16);
    ?>
  </body>
</html>
```

Output:

1 + 16 = 17

PHP Form Handling:

- The most important thing to notice when dealing with HTML forms and PHP is that any form element in an HTML page will automatically be available to your PHP scripts.
- The PHP `$_GET` and `$_POST` variables are used to retrieve information from forms, like user input.

Example:

The example below contains an HTML form with two input fields and a submit button:

```
<html>
  <body>
```

(24)

```
<form action="welcome.php" method="post">
  Name: <input type="text" name="fname" />
  Age: <input type="text" name="age" />
  <input type="submit" />
</form>
</body>
</html>
```

When a user fills out the form above and clicks on the submit button, the form data is sent to a PHP file, called "**welcome.php**";

(25)

"welcome.php" looks like this:

```
<html>
  <body>
    Welcome <?php echo $_POST["fname"]; ?>!<br />
    You are <?php echo $_POST["age"]; ?> years old.
  </body>
</html>
```

Output:

Welcome John!

You are 28 years old.

functions :-

Arrays :- Array is a collection of heterogeneous (different elements) datatypes in PHP. Because PHP is a loosely typed language.

Ex:- 1

<?php

```
$arr = array(10, 20, 30);
```

```
print_r($arr);
```

?>

Output :- [0]=10, [1]=20, [2]=30

Ex:- 2

<?php

```
$arr = array(100→10, 101→20, 102→30);
```

```
print_r($arr);
```

?>

Output :- [100]=10, [101]=20, [102]=30

Ex:- 3

<?php

```
$arr = array(100→10, 20, 30, 106→30);
```

```
print_r($arr);
```

?>

Output :-

[100]=10, [101]=20, [102]=30, [106]=30

Ex:- 4

<?php

```
$arr = array(100→10, 'city'→'hyd',
```

105→30, 50→4970);

```
print_r($arr);
```

?>

Output :-

[100]=10, [city]=hyd, [105]=30

[50][4970], [51]=[70]

Array functions :-

Count :- it returns total no. of elements

Ex:-

<?php

```
$arr = array(10, 20, 30);
```

```
Echo count($arr);
```

?>

Output :- 3

Sort :- It returns the elements of an array in ascending order.

Ex:-

Output:-

```
<?php  
$arr = array(60, 20, 30);  
sort($arr);  
print_r($arr);
```

?>

rsort :- It returns the elements of an array in descending order.

Order.

Ex:-

Output:-

```
<?php  
$arr = array(101, 104, 102);  
rsort($arr);  
print_r($arr);
```

?>

asort :- It returns the original key values with descending order.

order.

Ex:-

<?php

```
$arr = array(104 => 40, 101 => 20, 108 => 50, 102 => 80);
```

```
asort($arr);
```

Output:-

```
print_r($arr);
```

$[102] = 80, [108] = 50, [104] = 40, [101] = 20$

?>

Ksort:- it returns the array in ascending order with based on the "Keys".

Ex:-

<?php

```
$arr = array(104 => 40, 101 => 20, 108 => 50, 102 => 80);
```

ksort(\$arr);

output:-

[101] = 20, [102] = 80, [104] = 40, [108] = 50

?>

Krsort:- it returns the array in descending order with based on the "Keys".

Ex:-

<?php

```
$arr = array(104 => 40, 101 => 20, 108 => 50, 102 => 80);
```

krsort(\$arr);

output:-

[108] = 50, [104] = 40, [102] = 80, [101] = 20

?>

array_push():-

this function adds an elements into the end of an array and returning the total no. of elements in that array.

Ex:-

<?php

```
$arr = array(10, 20, 30);
```

Echo array_push(\$arr, 40);

output:-

print_r(\$arr);

?>

array-pop() :- remove the last element & return the value of that element.

Ex:-

Output:-

```
<?php
```

```
$arr = array(10, 20, 30);
```

```
Echo array-pop($arr);
```

```
print_r($arr);
```

```
?>
```

array-shift() :- it removes the first element of an array and returns the value of that element.

Ex:-

```
<?php
```

```
$arr = array(10, 20, 30);
```

Output:-

```
Echo array-shift($arr);
```

```
print_r($arr);
```

```
?>
```

array-unshift() :- add an element at the begining of an array

and return size of an array.

Ex:-

```
<?php
```

```
$arr = array(10, 20, 30);
```

Output:-

```
Echo array-unshift($arr);
```

```
print_r($arr);
```

```
?>
```

array-change-key-case():-

Ex:- it Converts all keys of an array into lower case

<?php

```
$arr = array ('ABC' => 10, 20, 30);
```

```
print_r(array_change_key_case($arr));
```

?>

array-chunk():- Splits an array into chunk of an array

Ex:-

<?php

```
$arr = array (10, 20, 30, 40, 50, 60);
```

```
print_r(array_chunk($arr, 2));
```

?>

array-combine():-

Creates an array by using one array for keys and another for its value.

Ex:-

<?php

```
$arr = array ('abc' => 10, 20, 30, 40, 50);
```

```
$arr1 = array (100, 200, 300, 400, 500);
```

```
print_r(array_combine($arr, $arr1));
```

?>

array_keys() :- it returns new array with keys as value
of another array.

Ex:-

```
<?php  
$arr = array ('abc' => 10, 20, 30, 40);  
print_r (array_keys ($arr));  
?>
```

array_count_values() :-

returning an array with no. of occurrence for each value

Ex:-

```
<?php  
$arr = array ('ABC' => 10, 20, 30, 40, 50, 10);  
print_r (array_count_values ($arr));  
?>
```

array_values() :- return array with the values of an array

Ex:-

```
<?php  
$arr = array ('ABC' = 10, 20, 30, 40, 50, 60);  
print_r (array_values ($arr));  
?>
```

array_flip() :- exchanges all keys with their associated values in array.

Ex :-

<?php

```
$arr = array ('ABC' => 10, 20, 30, 40);
```

```
// $arr = array (10, 200, 400);
```

```
printf_r (array_flip ($arr));
```

?>

array_intersect() :- compares array values & returning the matches.

<?php

```
$arr = array (10, 20, 30, 40);
```

```
$arr = array (100, 200, 300, 400, 10);
```

```
print_r (array_intersect ($arr));
```

?>

array_merge() :- merges one or more arrays into one array

<?php

```
$arr = array ('ABC' => 10, 20, 30, 40);
```

```
$arr = array (100, 200, 300);
```

```
print_r (array_merge ($arr, $arr));
```

?>

array_sum() :- returning the sum of all elements of an array

<?php

```
$arr = array (10, 20, 30, 40);
```

```
Echo print_r (array_sum ($arr));
```

?>

array_reverse():- It reverse the elements of array

```
print_r(array_reverse($arr));
```

array_unique():- removes the duplicate values & returns the values of an array.

```
<?php
```

```
$arr = ("ABC" => 10, 20, 30, 40);
```

```
print_r(array_unique($arr));
```

```
?>
```

shuffle():- shuffle the elements of array

```
<?php
```

```
$arr = array ('ABC' => 10, 20, 30, 40);
```

```
shuffle ($arr);
```

```
print_r ($arr);
```

```
?>
```

Extract():- divides the elements of an array as individual variables.

```
<?php
```

```
$arr = array ('ABC' => 10, 20, 30, 40);
```

```
Extract($arr);
```

```
Echo $ABC;
```

```
?>
```

list():-

```
<?php
```

```
List ($x, $y, $z) = array (10, 20, 30);
```

```
Echo $x;
```

```
Echo $y;
```

```
Echo $z;
```

String functions:-

(34)

① PHP Strtolower() function:-

This function returns String in lowercase letter.

Syntax:-

string strtolower (String \$string)

Ex:-

<?php

\$str = "My name is SAI";

\$str = strtolower (\$str);

echo \$str;

?>

op:-

my name is sai

② Strtoupper()

This function returns string in uppercase letter.

Syn:-

string strtoupper(string \$string)

Ex:-

<?php

\$str = "My name is SAI";

\$str = strtoupper (\$str);

echo \$str;

?>

op:-

MY NAME IS SAI

③ ucwords() ④ ucfirst(): Capitalizing the first letter of String.

returning string Converting first character of each word into uppercase.

Syn:-

string ucwords (String \$str)

Ex:-

<?php

\$str = "my name is sai";

\$str = ucwords (\$str);

echo \$str;

?>

op:-

My Name Is Sai

Math functions :-

abs() function:-

It returns absolute value of given number. It returns an integer value but if you pass floating point value it returns a float value.

Ex:-

```
<?php  
echo abs(-7); // 7  
echo abs(-7.2); // -7.2
```

ceil() function

Syn:- It returns rounds fractions up.

float ceil(float \$value)

Ex:-

```
<?php  
echo ceil(3.3); // 4  
echo ceil (-4.55); // -4
```

floor()

It returns rounds fractions down.

Syn:- float floor(float \$value)

Ex:-

```
<?php  
echo floor(3.3); // 3  
echo floor (-4.55); // -5
```

Sqrt()

It returns square root of given argument.

Syn:-

float sqrt (float \$arg)

Ex:-

```
<?php  
echo (sqrt(16)); // 4  
echo (sqrt(25)); // 5
```

decbin()

It converts decimal number into binary. It returns binary number as a String.

Syn:-

string decbin(int \$number)

```
<?php  
echo (decbin(2)); // 10  
echo (decbin(10)); // 1010
```

?>

3) Comparing two String:-

strcmp() :- Compare two Strings (Case-Sensitive)

Syn:- int strcmp (String str₁, String str₂)

<?php

```
$pwd1 = "abcd";  
$pwd2 = "abced2";
```

?>

strspn() : calculating the similarity b/w two Strings

Syn:- int strspn (String str₁, String str₂ [, int start [, int length]]])

<?php

```
$pwd = "abc123";
```

```
if(strspn ($pwd, "1234567890") == strlen ($pwd))
```

```
echo "the pwd cannot consist of numbers";
```

?>

(36)

Handling file uploads:-

PHP File upload:- PHP allows you to upload single & multiple files through few lines of code only.

PHP \$FILES

The PHP global \$_FILES contains all the information of file.

By the help of \$_FILES global, we can get filename,

filetype, file size, file name & errors associated with file.

Here, we are assuming that filename is filename.

`$_FILES['filename']['name']`

returns filename

`$_FILES['filename']['type']`

returns MIME type of the file

`$_FILES['filename']['size']`

returns size of the file (in bytes)

`$_FILES['filename']['tmp_name']`

returns temporary filename of the file which was stored on the server.

`$_FILES['filename']['error']`

returns the error code associated with this file

move_uploaded_file() function:-

The move_uploaded_file() function moves the uploaded file to a new location. The move_uploaded_file() function checks internally if the file is uploaded through the

POST request. It moves the file if it is uploaded through the post request.

Syntax:-

`bool move_uploaded_file(String $filename, String $destination)`

Example:-

file: uploadform.html

```
<form action="uploader.php" method="post" enctype="multipart/form-data">
    Select file:
    <input type="file" name="fileToUpload"/>
    <input type="submit" value="UploadImage" name="submit"/>
```

file: uploader1.php

```
<?php
    $target_Path = "e:/";
    $target_Path = $target_Path.basename($_FILES['fileToUpload']['name']);
    if(move_uploaded_file($_FILES['fileToUpload']['tmp_name'], $target_Path))
    {
        echo "file uploaded successfully!";
    }
    else
    {
        echo "sorry, file not uploaded, please try again!";
    }
?>
```

Connecting to database (MySQL)

PHP mysqli_connect() is used to connect with MySQL database. It returns if connection is established or null.

Syntax:-

resource mysqli_connect(Server, username, password)

PHP mysqli_close() is used to disconnect with MySQL database. It returns Connection is closed.

Syntax:-

bool mysqli_close(resource \$resource_link)

Ex:-

```
<?php
$host = 'localhost:3306';
$user = '';
$pass = '';
$conn = mysqli_connect($host, $user, $pass);
if (!$conn)
{
    die('could not connect:', mysqli_error());
}
echo 'connected successfully';
mysqli_close($conn);
?>
```

Output:-

Connected successfully

Create Database:-

mysqli_query is used to create db.

```
$sql = 'CREATE Database mydb';
if (mysqli_query($conn, $sql))
{
    echo "Database mydb created successfully";
}
else
{
    echo "sorry, database creation failed", mysqli_error($conn);
}
```

(4) Using
php

Create Table

```
$sql = "Create table emp5(id INT AUTO_INCREMENT, name varchar(20) NOT NULL,  
emp_salary INT NOT NULL, primary key(id));  
if(mysqli_query($conn, $sql)) {  
    echo "Table emp5 created successfully";  
} else {  
    echo "could not create Table : ".mysqli_error($conn);  
}
```

insert

```
$sql = "INSERT into emp5(name, salary) values('sonoo', 901);"
```

update

```
$sql = "update emp5 set name = '$name', salary = $salary where id = $id";
```

delete

```
$id=2;
```

```
$sql = "delete from emp5 where id = $id";
```

Solving PHP Cookies :-


PHP cookie is a small piece of information which is stored at client browser. It is used to recognize the user.

Cookie is created at server side & saved to client. Each time when client sends request to the server, cookie is embedded with request. Such way, cookie can be received at serverside.

SetCookie() function

Note:- PHP cookie must be used within HTML tag

1) Set + cookie → Client



SetCookie("CookieName", "CookieValue");
/* defining cookie name & value */

PHP \$_COOKIE

\$_COOKIE is a super global variable is used to get cookie.

\$value = \$_COOKIE["CookieName"]; // return cookie value

Ex:-

```
<?php
setCookie("user","someo");
?>
<html>
<body>
<?php
if (!isset($_COOKIE["user"])){
    echo "sorry, cookie not found!";
} else {
    echo "<br/> cookie value : " . $_COOKIE["user"];
}
?>
</body>
</html>
```

Output

sorry, cookie not found!

Firstly, cookie is not set. But, if you refresh page, you will see cookie is set now

cookie value = someo

Delete cookie

If you set the expiration date in past, cookie will be deleted.

Cookie.php

<?php

setCookie("CookieName", "", time() - 3600); // set expiration date to one hour ago

?>

PHP Session:-

It is used to store & pass information from one page to another temporarily (until user close the website) (4)

This technique is widely used in shopping websites where we need to store etc from one page to another.

PHP session creates unique userid for each browser to recognize the user & avoid conflict b/w multiple browsers.

Session_start() function

It is used to start the session.

`session_start();`

PHP `$_SESSION` is an associative array that contains all session variable values. It is used to set & get session variable values.

Set info `$_SESSION["user"] = "sachin";`

Get info

`echo $_SESSION["user"];`

Ex:-


session1.php
`<?php
session_start();
?>`

```
<html>  
<body>  
<?php  
$_SESSION["user"] = "sachin";  
echo "session information are set successfully.<br/>";  
?>  
<a href = "session2.php" > visit nextpage </a>  
</body>  
</html>
```

PHP Destroy Session

PHP session_destroy() function is used to destroy all session variables completely.

Code
`<?php
session_start();
?> session_destroy();`



Session2.php

Code

```
session_start();  
<?php  
?>  
<body>  
<?php  
echo "User is: ".$_SESSION["user"];  
?>  
</body>  
</html>
```

file Handling in PHP:-

PHP File System allows us to create file, read file line by line, read file character by character, write file, append file, delete file & close file.

PHP Open file - fopen() :-

The PHP fopen() function is used to open a file

Syntax:-

```
resource fopen( String $filename, string $mode [, bool $use_include_path = false [, resource $context ]])
```

\$filename → file to be opened
 \$mode → file mode for ex: & c or only reading & writing
 \$use_include_path → true or false

Example:-

```
<?php  
$handle = fopen ("c:\\folder\\file.txt", "r");
```

?>

r = read-only
 r+ = read/write
 w = write-only
 w+ = read/write

PHP Close file - fclose() :-

The PHP fclose() function is used to close an open file pointer.

Syntax:-

```
bool fclose(resource $handle)
```

Example:-

```
<?php  
fclose($handle);  
?>
```

PHP Read file :-

PHP provides various functions to read data from file. There are different functions that allow you to read file all data, read data line by line and read data character by character.

The available PHP file read functions are given below,

① `fread()`

② `fgets()`

③ `fgetc()`

PHP Read file - `fread()` :-

If PHP `read()` function is used to read data of the file.

It requires two arguments: file resource & filesize.

Syntax:-

String `fread(resource $handle, int $length)`

`$handle` represents file pointer that is created by `fopen()` function.

`$length` represents length of byte to be read.

Example:-

```
<?php
```

```
$filename = "c://file1.txt";
```

```
$fp = fopen($filename, "r"); // open file in read mode
```

```
$contents = fread($fp, filesize($filename)); // read file
```

echo "<pre>\$contents</pre>"; //printing data of file

fclose(\$fp); //close file

?>

Output:-

this is first line

this is another line

this is third line

PHP read file - fgets():-

The PHP fgets() function is used to read single line from the file.

Syntax:-

String fgets(resource \$handle [, int \$length])

Example:-

?>php

\$fp=fopen("c://file.txt"); //open file in read mode

echo fgets(\$fp);

Output:-

this is firstline

PHP read file - fgetc():-

It is used to read single character from the file.

To get all data using fgetc() function, use !feof()

function inside the while loop.

Syntax:-

String fgetc(Resource \$handle)

Example:-

```
<?php
$fp = fopen ("c:\\file.txt", "r"); //open file in read mode
while (!feof($fp)) {
    echo fgets($fp);
}
fclose ($fp);
?>
```

Output:-

this is firstline
this is anotherline
this is thirdline

PHP write file:-

PHP fwrite() and fputs() functions are used to write data into file. You need to use w, r+, w+, x, xt, c or ct mode

PHP write file - fwrite():-

The PHP fwrite() function is used to write the content of the string into file.

Syntax:-

```
int fwrite(resource $handle, string $string [, int $length])
```

Example:-

```
<?php
$fp = fopen ('data.txt', 'w'); // opens file in write-only mode
fwrite ($fp, 'welcome');
```

Output:-

data.txt

```
fwrite ($fp, 'to php file write');
```

Welcome to php file write

```
fclose ($fp);
```

```
echo "file written successfully";
?>
```

PHP Overwriting file:-

If you run the above code again, it will erase the previous data of file & writes the new data. Let's see the code that writes only new data into data.txt file.

Syntax:- Example:-

```
<?php
$fp = fopen ('data.txt', 'w'); // opens file in write-only mode
fwrite ($fp, 'hello');
fclose ($fp);
echo "file written successfully";    hello
?>
```

Output

data.txt

PHP append to file:-

You can ~~open~~ append data into file by using `w` mode in `fopen()` function. Let's see the example, that appends data into data.txt file.

Let's see the data of file first.

data.txt

welcome to php file write

Example:-

```
<?php
```

```
$fp = fopen ('data.txt', 'a'); // opens file in append mode
fwrite ($fp, 'this is additional text');
```

```

fwrite($fp, 'Appending data');
fclose($fp);
echo "file appended successfully";
?>

```

Output:-

data.txt

Welcome to php file write. This is additional text
Appending data

PHP Delete file:-

In PHP, we can delete any file using unlink() function
the unlink() accepts one argument only: filename. It is

Similar to

PHP unlink() generates E_WARNING level error if file
is not deleted. It returns TRUE if file is deleted successfully
otherwise FALSE

Syntax:- bool unlink(string \$filename [, resource \$context])
\$filename represents name of the file to be deleted.

Example:-

```

<?php
$status = unlink ('data.txt');
if ($status) {
    echo "file deleted successfully";
} else {
    echo "Sorry!";
}
?>

```

Output:-

file deleted successfully

Introduction to XML:-

XML stands for extensible Markup Language. This is similar to HTML, but the tags are user defined. HTML & XML are used to build webpages. All the scripting languages are concerned with representation of data on the web page. But, looking up the data, transferring (8) storage is not possible. XML is designed to transmit (8) to store the data.

XML standard was developed by W3C (World Wide Web Consortium) in the late 1990s. It is a International Standard Organization. & this application (xml) is derived from SGML (Standard Generalized Markup Language) → how to specify a document markup language such specification it's a DTD (Document Type Definition).

- ① XML Stands for extensible Markup language
- ② XML was designed to describe data
- ③ XML tags are not predefined in XML. You must define your own tags.
- ④ XML is set describing
- ⑤ XML uses a DTD to formally describe the data.

Difference between HTML & XML:

- XML is not a replacement for HTML.
- XML & HTML were designed to different goals.
- ① XML was designed to describe the data & focus on what data is.
 - ② HTML was designed to display data & to focus on how data looks.
 - ③ HTML is about displaying information, XML is about describing information.
- Web Technologies - Uttam K Ray

Uses of XML :-

- XML is used to display the meta contents i.e., XML describes the contents of the document.
- XML is useful in exchanging data between the applications.
- The data can be ~~eaches~~ extracted from database and can be used in more than one application. Different application can perform different tasks on this data.

Features & Advantages of XML :-

(1) XML Separates data from HTML

If you need to display dynamic data in your HTML, it will take a lot of work to edit the HTML each time the data changes.

With XML, data can be stored in separate XML files.

(2) XML Simplifies data sharing

In real world, Computer systems & database contain data in incompatible formats.

XML data is stored in plaintext format. This provides a slow & h/w independent way of storing data.

(3) XML Simplified data transport

One of the most time-consuming challenges for developers is to exchange data between incompatible systems over the internet. Exchanging data as XML greatly reduces this complexity. Since the data can be read by different incompatible applications.

(4) XML Simplifies platform change

Upgrading to new systems is always time consuming.

XML data is stored in text format. This makes it easier to expand or upgrade to new operating systems, new applications or browsers without losing data.

- ⑤ XML increases data availability
 Different applications can access your data, not only in HTML pages, but also from XML data sources.
 With XML, your data can be available to all kinds of reading machines.
- ⑥ XML can be used to create new internet languages
 A lot of new internet languages are created with XML.
- ① XHTML
 - ② WSDL for describing available web services.
 etc.

XML Example:-

XML documents create a hierarchical structure looks like a tree so it is known as XML Tree that starts at the "root" and branches "to the leaves"

Example of XML document, message.xml

```
<?xml version="1.0"?>
<note>
  <to> Tove </to>
  <from> Jani </from>
  <heading> Remainder </heading>
  <body> Don't forget me this weekend! </body>
</note>
```

The first line is the XML declaration. It defines the XML version (1.0).

The next line describes the root element of the document (note).
 The next 4 lines describe 4 child elements of the root

(to, from, heading, and body).

And finally the last line defines the end of the root element (note).

Web Technologies - Uttam K Roy

→ All elements can have sub elements (child)

<root>

<child>

<subchild> --- <subchild>

<child>

<root>

All the terms Parent, child, subchild are used to describe the relationships b/w elements.

Another Example :-

Books.xml

<bookstore>

<book category = "Cooking">

<title lang = "en"> Everyday Italian </title>

<author> Giada De Laurentiis </author>

<year> 2005 </year>

<price> 30.00 </price>

</book>

<book Category = "children">

<title lang = "en"> Harry Potter </title>

<author> J.K. Rowling </author>

<year> 2005 </year>

<price> 29.99 </price>

</book>

<book category = "web">

<title lang = "en"> Learning XML </title>

<author> Erik T. Ray </author>

<year> 2003 </year>

Web Technologies - Uttam K Ray

```
<price> 39.95 </price>
</book>
```

```
</bookstore>
```

the root element in the example is `<bookstore>`.
All elements in the document are contained within

```
<bookstore>
```

the `<book>` element has 4 children: `<title>`, `<author>`, `<year>`, `<price>`.

Example:-

email.xml

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<emails>
```

```
<email>
```

```
<to> vimal </to>
```

```
<from> Sonoo </from>
```

```
<heading> Hello </heading>
```

```
<body> Hello brother, how are you! </body>
```

```
<email>
```

```
<email>
```

```
<to> peter </to>
```

```
<from> Jack </from>
```

```
<heading> Birthday wish </heading>
```

```
<body> Happy birthday Tom! </body>
```

```
<email>
```

<email>

<to> James </to>

<from> Jaclin </from>

<heading> Morning walk </heading>

<body> please start morning walk to stay fit! </body>

</email>

<emails>

Defining XML Tags:-

An XML document consists of the following parts:

- ① Prolog
- ② body

Prolog: - this part of XML document may contain the following parts:

- XML Declaration
- Optional processing instruction
- Comments
- Document Type Definition

→ XML Declaration:-

Every XML document should start with a one-line XML declaration.

<?xml version="1.0"?>

The declaration may use two optional attributes:

encoding

<?xml version="1.0" encoding="UTF-8"?>

The UTF-8 (Unicode Transformation Format) is used which has the same character set as ASCII.

Standalone

This optional attribute indicates whether the document can be processed as a standalone document. If "Yes" is

specified document must contain external DTD - if value "no" nothing is specified.

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
```

→ Processing instruction:-

It starts with <? and end with ?>. They allow XML documents to contain special instructions that are used to pass parameters to the application.

```
<?xml-stylesheet href="simple.xsl" type="text/xsl"?>
```

This processing instruction states that the XML document should be transformed using the style sheet simple.xsl.

→ Comments:-

Like HTML, comments may appear anywhere in the XML documents. An XML comment starts with <!-- and ends with -->. Everything within these character sequences will be ignored by browser.

```
<!-- Comment text -->
```

→ Document Type Declaration:-

It is used to specify the logical structure of the XML document. The structure is specified by constraint on what tags can be used and where.

Body:- the XML document contains textual data marked up by tags. It must have one element called root element.

```
<greeting> Helloworld! </greeting>
```

The root element contains other elements.

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<Contact>
```

```
<person>
```

```
  <name> B.S.Roy </name>
```

```
  <number> 967414154 </number>
```

```
</person>
```

```
<person>
```

```
  <name> G. Mahapatra </name>
```

```
  <number> 9441804070 </number>
```

```
</person>
```

```
</Contact>
```

this XML document has the root element `<Contact>` which has two `<person>` elements. Each person has two elements `<name>` & `<number>`.

Elements:-

An XML element consists of a starting tag, an ending tag, and its contents & attributes. The content may be a simple text, or other elements or both. Each element contain different types of data that are stored in the XML document.

A tag begins with the less-than character (`<`) and ends with greater than (`>`) character. It takes the form `<tag-name>`. Every tag must have a corresponding ending tag, `</tag-name>`.

Ex:- `<greeting> Helloworld! </greeting>`

Here, `<greeting>` is the starting tag and `</greeting>` is the ending tag. everything between these two form an element. This element has only text content "Helloworld!".

Anatomy of an element :-

An element consists of an opening tag, a closing tag & contents.




fig:- Structure of an element

The above figure shows the structure of an element. The name element is para. The opening tag is written within angular brackets. The closing tag is written exactly the same way, except that a slash (/) is added before the element name.

The attributes are declared within the opening tag. For example, the para element has only one attribute type whose value is note. The attribute value must be quoted.

For, the para element, the content is text. The text may contain entities that refer to some piece of text to be submitted substituted while processing. An entity starts with '&' and ends with ';' characters.

Naming Rules:-

- The following rules must be obeyed while selecting element name:
- Names can only contain letters, digits and some others special characters.
 - Names can not start with a number.
 - Names must not contain the string "xml", "XML", & "xm1".
 - Names cannot contain white space(s).
 - XML is a Case Sensitive. (you must follow whatever combination of upper & lower case. So, you can't say `<Body> ---</body>` both upper & lower case must match).

Empty Elements:-

Empty elements are those do not have any content.

`<line width="100"> </line>`

(OR)

`<line width="100" /> /`

Attributes & Values:-

Attributes are used to describe elements or to provide more information about elements. They appear in the starting tag of the element.

Syntax:-

`<element-name attribute-name = "attribute-value"> -----</element-name>`

`</element-name>`

Ex:-

`<employee gender = "male" > ... </employee>`

An element can also have multiple attributes:

`<employee gender = "male" id = "12345" > ... </employee>`

Note:- XML attributes value must always be quoted. We can use single or double quotes.

well-formed XML :-

An XML document is said to be well-formed if it contains text & tags. The following rules must be followed by the XML documents to be well-formed.

→ An XML document must have one & exactly one root element. Consider, the following well-formed XML document. It has one root element `<contact>`, which contains one `<person>` element, which contains two elements, `<name>` & `<addr>`, `<number>`.

```
<contact>
```

```
  <person>
```

```
    <name> Sai </name>  
    <number> 0001 </number>
```

```
  </person>
```

```
  </contact>
```

The following document is not well-formed as it has two top-level elements, `<contact>` & `<phonebook>`

```
<contact>
```

```
  <person>
```

```
    <name> Sai </name>  
    <number> 000123456 </number>
```

```
  </person>
```

```
  </contact>
```

```
  <phonebook>
```

```
    <name> Geetha </name>  
    <number> 123456789 </number>
```

```
  </phonebook>
```

→ All tags must be closed. Every element must have a closing tag corresponding to its opening tag, not well formed:

<!-- Incorrect -->

<name> Sai 23

well formed: <!-- Correct -->

<name> Sai </name>

A tag must be closed even if it does not have any ~~content~~
Content (empty element).

In HTML, some tags such as ,
, <hr> do not require any closing tag. However, in XML closing tags are always needed.

incorrect in XML:

correct in XML :
</br> or

→ All tags must be properly nested,
Elements must not overlap. An ending tag must have the same name as the most recent unmatched tag.

incorrect: <i> this is incorrect nesting </i>

correct: <i> this is correct nesting </i>

→ XML tags are Case-Sensitive,
Unlike HTML, XML element names are case sensitive.

So, message & message refer to two different names.

not well formed: <message> Hi </Message>

well formed: <message> Hi </message>

→ Attributes must always be quoted,
the value of an attribute must be quoted by double inverted commas

Correct: <speed unit="rpm"> 7200 </speed>

incorrect: <speed unit = rpm> 7200 </speed>

→ Certain characters are reserved for processing,
certain characters cannot be used in the XML document
directly. For example, '<', '>' and '"' can not be used.

<!-- Incorrect -->

<Condition> if salary < 1000 then </condition>

<!-- Correct -->

<Condition> if salary < 1000 then </condition>

Predefined Entities:-

Entityname	Entity number	Description	Character
<	<	lessthan	<
>	>	greaterthan	>
&	&	ampersand	&
"	"	quotationmark	"
'	'	apostrophe	'

Valid xml:-

Well-formed XML documents obey only basic well-formedness constraints. So, valid XML documents are those that,

- Are well-formed
- Comply with rules specified in the DTD or schema.

Validation:-

It is a method of checking whether an XML document is well-formed & conforms to the rules specified by a DTD or schema. Many tools are available to validate XML against DTD or schema. Unix/Linux provide one application called xmllint for this purpose,

xmllint --valid Sample.xml

Rules:-

- ↓
Command line tool
- ① It must begin with the XML declaration
 - ② It must have one unique root element

- ③ All start tags of XML documents must match end tags
- ④ XML tags are case sensitive
- ⑤ All elements must be closed
- ⑥ All elements must be properly nested
- ⑦ All attributes values must be quoted
- ⑧ XML entities must be used for special characters.

Displaying XML :-

XML documents do not carry information about how to display the data. New tags can be added in the XML document. Web browsers do not have any idea about the tags used in the XML file. So, if you open an XML file in a browser, the entire content (data & tags) is displayed in a tree like structure.

There are many ways to display data stored in an XML document. The two common methods are,

- CSS (Cascading Style Sheets)
- XSL (Extensible Stylesheet Language)

XSS already we discussed. XSL was specially designed for XML.

Save books.xsl

```

<?xml version="1.0" encoding="ISO-8859-1"?>
<?xml-stylesheet type="text/xsl" href="books.xsl"?>

<bookstore>
  <book category="literature">
    <title lang="beng"> Sanchoitai </title>
    <author> Rabindranath Tagore </author>
    <year> 2009 </year>
    <price> 200.00 </price>
  </book>

```

(15)

```
<book category="literature">
    <title lang="en"> Gitanjali </title>
    <author> Rabindranath Tagore </author>
    <year> 2008 </year>
    <price> 29.00 </price>
</book>

<book category="web">
    <title lang="en"> Essential XML </title>
    <author> Don Box </author>
    <year> 2000 </year>
    <price> 150 </price>
</book>

</bookstore>
```

save
books.xml

```
<?xml version="1.0" encoding="ISO - 8859 - 1"?>
<xsl:stylesheet version="1.0"
    xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:output method='html' version='1.0' encoding='UTF-8'
    indent='yes' />
<xsl:template match="/">
<html>
    <body>
        MyBook Collection.
    <table border="1">
```

```
<tr bgcolor = "yellow">
    <th> title </th> <th> Author </th> <th> year </th>
    <th> price </th>
</tr>
<xsl:for-each select = "bookstore/book">
    <tr>
        <xsl:for-each select = "./*">
            <td> <xsl:value-of select = "."/> </td>
        </xsl:for-each>
    </tr>
    <xsl:for-each>
</table>
</body>
</html>
<xsl:template>
<xsl:stylesheet>
```

Document Type Definition:-

(17)

A DTD defines the legal building blocks of an XML document. It defines the document structure with list of legal elements & attributes. A DTD can be declared inside the XML document as an external reference.



Internal DTD declarations:-

If the DTD is declared inside the XML file, that can be called as internal DTD. It should be wrapped in a DOCTYPE definition with the following syntax,

<!DOCTYPE root-element [element-declarations]>

Ex:-

<?xml version="1.0"?>
 <!DOCTYPE note[
 ↗ root-element

- DTD is quite different from basic XML doc
- we can't use multiple DTD to validate XML
- DTD are not object oriented.

<!ELEMENT note (to, from, heading, body)>
 <!ELEMENT to (#PCDATA)>
 <!ELEMENT from (#PCDATA)>
 <!ELEMENT heading (#PCDATA)>
 <!ELEMENT body (#PCDATA)>
]>

↓
 of type 'PCDATA'

<note>
 <to> Tove </to>
 <from> jani </from>
 <heading> Remaider
 </heading>
 <body> Don't forget me this
 weekend </body>
 </note>

External DTD:-

• 18

If the DTD is declared in an external file, that can be called as external DTD. This file can be saved with an extension of ".DTD".

To import the external DTD file into XML file we have to use a Doctype definition with following syntax:

```
<!DOCTYPE root-element SYSTEM "filename">
    ↓
    ↓
  it must occur
  after XML prolog
  before the
  root element
    ↓
    ↓
  location of
  DTD file is local (D) PUBLIC
```

Ex:-

note.DTD

note.xml

```
<?xml version="1.0"?>
<!DOCTYPE note SYSTEM "note.dtd">
<note>
  <to>To ve </to>
  <from>Jani </from>
  <heading> Remainder </heading>
  <body> Don't forget me this weekend! </body>
</note>
```

→ With a DTD, each of your XML files can carry a description of its own format.

Building blocks of XML Document:-

Elements

These are the main building blocks of both XML & HTML documents.

HTML
Ex:
 body
 table

XML
Ex:
 message
 note

DTD

<!ELEMENT element-name (element-content)>

Empty elements

<!ELEMENT element-name EMPTY>

XML href...

Text
Continue next page

Attributes:- these are provide extra information about elements.
these are placed always inside the opening tag of element.

Attributes always come in name (value pair)

↓
element name ↓ attribute ↓ value

Declaring Attributes in DTD

Ex1- DTD: <!ATTLIST Payment type CDATA "check">
xml: <Payment type = "check" />

Entity :-

Entities are variables used to define shortcuts to standard text & special characters.

Synr $\leftarrow ! \text{ENTITY} \quad \text{attr-name} \quad " \text{entity-value} " \right\rangle$

Ex:- DTD : <!ENTITY WT " webTechnology ">

xml: <subject> <?; </subject>

An entity has three parts : ampersand (&), an entity name,

 → to insert the extra space in a document
(no-breaking space) ; Semicolon (;) .

PCDATA:-

PCDATA:- It means parsed character data. In PCDATA all text will be parsed & special characters will be replaced with their corresponding characters.

corresponding characters.

the character data should not contain any ">", "
" to be occurred. represented by

the character set a standard
if there are contains in document errors will be occurred. represented by
< > entities
Scanned by CamScanner

CDATA-

character Data. CDATA is text that will not be parsed by a parser.

* PCDATA is text that will be parsed by a parser. Tags inside the text will be treated as markup & entities will be expanded.

* CDATA is text that will not be parsed by a parser. Tags inside the text will not be treated as markup & entities will not be expanded.

`<! [CDATA [`

`<name>Vimal</name>`

`<lastname>Sai</lastname>`

`<email>sai@mrce.in</email>`

`]]>`

`)` ← a group of expressions to be matched to follow of occurrence

`↓` specifies the exact order

`↓` indicates an option

`can occur zero or more times inside note element`

`<ELEMENT note (message*)>`

`<ELEMENT element-name (child-name*)>`

* ← Declaring Zero or more occurrences of an elements

Tag Delimiters:-

`<!ELEMENT note (to, from, body)>`

`<!ELEMENT element element-name (child1, child2, ...)>`

Elements with children

`<!ELEMENT note ANY>`

`<!ELEMENT element element-name ANY>`

`← can contain any combination of possible data`

Elements with any content:-

Similarly, we can write `Server.xml`,

`<s:table>`

`<s:row>`

`<s:col> Jsp </s:col>`

`<s:col> Asp </s:col>`

`</s:row>`

`</s:table>`

Who guarantees that the prefixes used by different developer will be unique? When using prefixes in XML, a namespace for the Prefix must be defined.

The namespace can be defined by an `xmlns` attribute in the start tag of an element.

The namespace declaration has the following syntax:

`xmlns:prefix="URI"`

`<root>`

`<s:table xmlns:s="namespaceURI">`

`<s:tr> <c:td> JavaScript </c:td>`

`<c:td> VBscript </c:td>`

`</s:tr>`

`</s:table>`

`<s:table xmlns:s="namespaceURI">`

`<s:row> <s:col> Jsp </s:col>`

`<s:col> Asp </s:col>`

`</s:row>`

`</s:table>`

`</root>`

The purpose of using an URI is to give the name space a unique name.

URI (Uniform Resource Identifier) is a string of characters which identifies an Internet Resource.

The most common URI is Uniform resource locator (URL) which identifies an Internet domain address.

Protocol identifier - It specifies the type of resource and the protocol used to access it.

Host identifier - It specifies the host or server where the resource is located.

Path identifier - It specifies the path or location of the resource on the host.

Query identifier - It specifies additional information or parameters required to access the resource.

Fragment identifier - It specifies a specific part or fragment of the resource.

For example, the URL `http://www.google.com/search?query=CamScanner` consists of the following components:

Protocol identifier: `http://` (specifies the protocol)

Host identifier: `www.google.com` (specifies the host)

Path identifier: `/search` (specifies the path)

Query identifier: `?query=CamScanner` (specifies the search query)

Fragment identifier: None (no fragment specified)

In this URL, the protocol is `http`, the host is `www.google.com`, the path is `/search`, and the query is `?query=CamScanner`.

The URL `http://www.google.com/search?query=CamScanner` is a valid URL because it follows the standard syntax and all components are correctly specified.

If we try to access a URL that does not follow the standard syntax, such as `http://www.google.com/search?query=CamScanner`, the browser will not be able to parse it correctly and may display an error message.

It is important to note that URLs are case-sensitive, so `http://www.google.com/search?query=CamScanner` is different from `http://www.google.com/Search?query=CamScanner`.

URLs are used to identify resources on the Internet, and they play a crucial role in the functioning of the World Wide Web.

DTD VS XSD

(25)

DTD

- 1) DTD Stands for document type definition.
- 2) DTD are derived from XML Syntax.
- 3) DTD doesn't support data types.
- 4) DTD doesn't support namespace.
- 5) DTD doesn't define order for child elements.
- 6) DTD is not extensible.
- 7) DTD is not simple to learn.
- 8) DTD provides less control on XML Structure.

XSD

- 1) XSD stands for XML schema definition.
- 2) XSD's are written in XML.
- 3) XSD supports datatypes for elements & attributes.
- 4) XSD supports namespace.
- 5) XSD defines order for child elements.
- 6) XSD is extensible.
- 7) XSD is simple to learn because you don't need to learn new language.
- 8) XSD provides more control on XML Structure.

XML Schema:-

- XML Schema is an XML based alternative to DTD.
- An XML Schema is used to define the structure of DTD but provides more control over the structure.
- An XML Schema is like DTD but is more powerful.

Control on XML Structure-

- An XML Schema language is also referred to as XML schema definition (XSD).

An XML Schema:-

- Defines elements that can appear in a document.
- Defines attributes that can appear in a document.
- Defines which elements are child elements.
- Defines the order of child elements.
- Defines the root child elements.
- Defines whether an element is empty or can include text.
- Defines datatypes for elements & attributes.
- Defines default & fixed values for elements & attributes.

Advantages

XML schemas are extensible to future additions.

XML schemas are richer & more powerful than DTD's.

XML schemas support data types.

XML schemas support namespaces.

Example:- Let's create a schema file, employee.xsd

<?xml version = "1.0"?>

 targetNamespace = "http://www.javatpoint.com"

 xmlns = "http://www.javatpoint.com"

 elementFormDefault = "qualified">

NameSpace :- These are used for providing uniquely named elements & attributes in XML document. These are used for providing uniquely named elements & attributes to be used by many applications. If many XML was developed want to communicate using XML documents, a potential problem may occur.

The problem :-

In XML document, element names & attribute names are selected by developers. According to the XML 1.0 Specification, element & attribute names are unstructured flat strings. So, name conflicts may occur when merging XML document from different developers to get a final document.

Consider, the following XML document (Client.xml) which represents an HTML table of client side technologies.

```
<table>
  <tr> <td> JavaScript <td> VBScript <td>
  </tr>
</table>
```

This XML document has the root element table. The following XML document (Server.xml) carries information about a table of server-side technologies.

```
<table>
  <row><col> Jsp <|col> <col> Asp <|col> </row>
</table>
```

Let us, now merge these two XML documents to obtain a single XML document as follows,

```
<technology>
  <table>
    <tr> <td> JavaScript <td> VBScript <td> </tr>
    </table>
  <table>
    <row> <col> Jsp <|col> <col> Asp <|col> </row>
    </table>
  </technology>
```

this new XML document has two `<table>` elements which have different content & meaning. So, if we query a parser to find the table containing server-side technologies, it fails. One simple but not too-flexible way to resolve this problem is to embed them in two different elements as follows:

```

<technology>
  <client>
    <table>
      <tr> <td> JavaScript <td> <td> VBScript <td> <tr>
        <table>
          <client>
            <server>
              <table>
                <row> <col> Jsp <col> <col> Asp <col> <row>
                <table>
                  <server>
                    </technology>

```

Now, the first & second table elements can be uniquely referred by referring to their parent element names, which are unique. Needless to say, this mechanism needs not only extra elements to be inserted, but also knowledge about the XML documents to be merged.

Solution:-

XML namespace provides a simple, straightforward, but elegant way to distinguish between element names in the XML document, no matter where they come from. XML namespace suggests that we use a prefix with every element. So,

client.xml can now be written like this:

```

<c:table>
  <c:tr> <c:td> JavaScript <c:td>
    <c:td> VBScript <c:td>
  . . <c:tr>

```

<x:element name = "employee">

defined the element name employee

<x:complexType>

the complex type is a sequence of elements

at the element is employee type

<x:sequence>

the complex type is a sequence of elements

<x:element name = "firstname" type = "xs:string"/>

the element 'firstname' is a string/text type

<x:element name = "lastname" type = "xs:string"/>

<x:element name = "email" type = "xs:string"/>

</x:sequence>

</x:complexType>

</x:element>

</x:schema>

Let's see the XML file using XML schema (8) XSD file

employee.xml

```
<?xml version="1.0"?>
<employee xmlns="http://www.javatpoint.com"
           xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
           xsi:schemaLocation="http://www.javatpoint.com employee.xsd">
    <firstname> vimal </firstname>
    <lastname> jaiswal </lastname>
    <email> vimal@javatpoint.com </email>
</employee>
```


② choice :-

(29)

It specifies that either one child (or) another element can occur.

```
<xs:element name="person">
```

```
<xs:complexType>
```

```
<xs:choices>
```

```
<xs:element name="employee" type="xs:employee"/>
```

```
<xs:element name="member" type="xs:member"/>
```

```
</xs:choices>
```

```
</xs:complexType>
```

```
</xs:element>
```

③ sequence :-

It specifies that the child elements must appear in a specific order.

```
<xs:element name="person">
```

```
<xs:complexType>
```

```
<xs:sequence>
```

```
<xs:element name="firstname" type="xs:string"/>
```

```
<xs:element name="lastname" type="xs:string"/>
```

```
</xs:sequence>
```

```
</xs:complexType>
```

```
</xs:element>
```

④ Occurrence:-

maxOccurs:- It specifies the maximum no. of times an element can occur:

```
<xs:element name="person">
```

```
<xs:complexType>
```

```
<xs:sequence>
```

```
<xs:element name="full_name" type="xs:string"/>
```

```
<xs:element name="child_name" type="xs:string"
```

```
</xs:sequence> maxOccurs="10"/>
```

```
</xs:complexType> </xs:element>
```

⑤ minOccurs:- It specifies the minimum no.of times an element can occur.

<xss:element name="person">

<xss: complexType>

<xss: sequence>

<xss: element name="full_name" type="xs:string"/>

<xss: element name="child_name" type="xs:string"/>

maxOccurs = "10" minOccurs = "0"/>

</xss:sequence>

</xss:complexType>

</xss:element>

to occur unlimited no.of times maxOccurs = "unbounded"

Unit-II



XML Parser:

An XML Parser converts an XML document into another format; these formats are XHTML and DHTML. This process is also called as XML Processing.

DOM Parser:

- > DOM is a tree representation of an XML document in memory.

Output tree



- > We can access information of an XML document by interacting with the tree nodes.
- > Useful for smaller applications.
- > We can insert or delete a node.
- > Traversing is done in any direction in DOM approach.
- > In this method the entire XML document is stored in the memory before actual processing. Hence it requires more memory.
- > Checking well-formedness of XML document using DOM API.

XML DOM Parser:

The XML DOM contains methods (functions) to traverse XML trees, access, insert and delete nodes. However, before an XML document can be accessed and manipulated it must be loaded into an XML DOM object. An XML parser reads XML, and converts it into an XML DOM object that can be accessed with JavaScript.

Loading an XML file:

```
<!DOCTYPE html>
<html>
<body>
<p id="demo"></p>
<script>
var xhttp = new XMLHttpRequest();
xhttp.onreadystatechange = function()
{
    if (this.readyState == 4 && this.status == 200)
        {
            myFunction(this);
        }
    }
;
xhttp.open("GET", "books.xml", true);
xhttp.send();
```

(33)

```
function myFunction (xml)
{
    var xmlDoc = xml.responseXML;
    document.getElementById("demo").innerHTML =
        xmlDoc.getElementsByTagName("title")[0].childNodes[0].nodeValue;
}
```

```
</script>
```

```
</body>
```

```
</html>
```

Loading an XML string

```
<html>
```

```
<body>
```

```
<p id="demo"></p>
```

```
<script>
```

```
var text, parser, xmlDoc;
text = "<bookstore><book>" + "<title>Everyday Italian </title>" +
"<author>Giada De Laurentiis </author>" + "<year>2005
</year>" + "</book></bookstore>";
```

```
parser = new DOMParser();
```

```
xmlDoc = parser.parseFromString(text, "text/xml");
```

```
document.getElementById("demo").innerHTML =
```

```
xmlDoc.getElementsByTagName("title")[0].childNodes[0].nodeValue;
```

```
</script>
```

</script>

(34)

</body>

</html>

XML DOM Properties

These are some typical DOM properties:

nodeName - finding the name of the node.

nodeValue - obtaining the value of the node.

parentNode - Getting the parent node.

childNodes - Getting the child nodes.

attributes - Getting the attributes.

XML DOM methods

getElementsByName (name) - get all elements with a specified tag name.

appendChild (node) - insert a child node.

removeChild (node) - remove a child node.

XSL:-

XSL Stands for Extensible style sheet Language. It describes how the XML document should be displayed.

XSLT:-

XSLT is a language for transforming XML documents into XHTML documents (8) to other XML documents.

XSLT is the most important part of XSL

With XSLT you can add | remove elements & attributes to or from the output file. You can also rearrange and sort elements, perform tests and make decisions about which elements to hide and display a lot more.

XSLT Elements `<xsl:stylesheet>` and `<xsl:transform>` are completely synonymous & either can be used.

XSLT stylesheet, xslt transform, xslt template, xslt value-of

xslt stylesheet, xslt transform, xslt when, xslt choose.

xslt for-each, xslt-if, xslt-when, xslt choose.

Syntax:-

`<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/2001/xsl/Transform">`

Create an XSL style sheet:-

"cdcatalog.xsl"

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/2001/xsl/Transform">
```

<xsl:template match="|">

<html> ↓ one or more set of rules. It contains rules to apply when a specified node is matched

<body>

<h2> My CD Collection </h2>

(36)

```

<table border="1">
  <tr background-color="Red">
    <th> Title </th>
    <th> Artist </th>
  </tr>
  <xsl:for-each select="catalog/cd">
    <tr>
      <td> <xsl:value-of select="title" /> <td>
        <xsl:for-each select="artist" /> <td>
          <xsl:value-of select="name" /> </td>
        </xsl:for-each>
      </td>
    </tr>
  </xsl:for-each>
</table>

```

It is used to extract the value of every XML element of a node-set. It uses select attribute to identify elements in source document to which template should be applied.

Link the xsl style sheet to the XML document,

```

<?xml version="1.0" encoding="ISO-8859-1"?
<?xml-stylesheet type="text/xsl"
  href="cdcatalog.xsl"?>

```

cdcatalog.xml

```

<catalog>
  <cd>
    <title> Empire Burlesque </title>
    <title> Body Dylan </title>
    <artist> Body Dylan </artist>
    <country> USA </country>
    <company> Columbia </company>
    <price> 10.90 </price>
    <year> 1985 </year>
  </cd>
</catalog>

```

SAX Parser:- [Simple API to XML]

* SAX is an event based parsing method used to parse the given XML document.

In this the parsing is done by generating the sequence of events (3) it calls handler functions.

useful to parsing the large XML document because this approach is event based.

XML gets parsed node by node does not require large amount of memory.

We can insert (3) delete a node.

Top to bottom traversing is done in this approach.

Packages:-

javax.xml.parsers

org.xml.sax

org.xml.saxon.ext

org.xml.sax.helpers

Steps to implement SAX :-

Step:1

specifying parser

Step:2

first create an instance of a parser factory & then use that to create a SAX parser object.

Ex:-

SaxParserFactory

```
fac = SaxParserFactory.newInstance();  
parser = fac.newSAXParser();
```

SaxParser

Step:3 Create a Content Handler,
Responds to parsing events, primary event methods
(termed as callbacks)

Ex:-

- startDocument()
- endDocument()
- startElement()
- endElement()
- characters()
- ignorableWhitespace()

Displaying the contents of XML document using SAX API.

Ex:- Parsing - SAXDemo1.java

Ex:-

```
import java.io.*;
import org.xml.sax.*;
import org.xml.sax.helpers.*;
public class Parsing-SAXDemo
```

```
{  
    public static void main(String[] args) throws IOException  
    {  
        try  
        {  
            System.out.println("enter the name of XML doc");  
            BufferedReader input = new BufferedReader(new InputStreamReader(System.in));  
            String file_name = input.readLine();  
            file fp = new File(file_name);  
            if (fp.exists())  
            {  
                try  
                {  
                    XMLReader reader = XMLReaderFactory.createXMLReader();  
                    reader.parse(file_name);  
                    System.out.println(file_name + " is well-formed");  
                }  
            }  
        }  
    }  
}
```

class is used to read the text from a buffered Input Stream

39

In the above example enter the xml file name as
input. If the file is well formed that gives the
output as the given file is well formed.


Date
5/2/18

UNIT - III


Servlets

Why we need to go for a web apps in Java?

- ⇒ Using JDK we can develop a standalone 2-Tier client & server apps.
- ⇒ A standalone app will execute on local JVM of system & provides services to single client. A standalone app can't be accessed from another place.



- * 2-Tier - app contains server and client.
- * The service of a server app can be accessed from a client app across n/w.



- Drawbacks of 2-client server Apps:-
- To know exact location of server
 - The client app need to be create at client system.
 - we need sw both client & server side.
 - fixed no.of client can only communicate with server Apps
 - To overcome above programs we get web app. in Java.
 - A application is a server side app it was on a server and provides service to multiple client across n/w or Internet

Types of Web Application:-

(1) Static Web App

(2) Dynamic web App

Static Web App: It only concentrate on Display of The content.

Eg:- online tutorial

Dynamic web app. It will concentrate on the dynamic service to the client & eg: ApOnline which provides dynamic payment of electricity bill, IT etc,

Passive & Active Resources.

Which doesn't require any processing on server side whose processing is done at serverside.

Different Resources req develop the and run the web application

(1) Client side — HTML AJAX

(2) Server side — Tomcat, IIS, Weblogic, websphere, glassfish

(3) Browser —

(4) Database — Oracle,

What is Webserver?

A server is an app which accepts request

from client across network and send the request

to appropriate web app collects response from

The web app & finally provides that response

on to a client browser

Web Container? It is a Java application along with a server and provides run time support for dynamic resource for web application.

It is a software that handles all communication

Adv:

→ Communication support

→ life cycle management

→ Multi Threading

→ security

Common Gateway Interface (CGI)

It is used for creating dynamic web application.

CGI was introduced by open source

community called NCSA [Network centre for

Support, Computing Application].

CGI is a program


CGI App are created using P.L. Called perl (praticle extraction reporting language). There are two major problems in CGI.

(1) CGI creates an os level process and then object of perl program.

for each request to provide the response. if the clients are increased Then The os level processes and CGI program objects also increased in a server. It means that increasing the burden on server. So, that performance of server is decreased.

(2) The pearl is a non-secure programming lang so, CGI is failed to provide security for data & logic.

In order to overcome the above two draw back The "sun micro system" Introduced the next Technology for creating Dynamic app as Servlet Technology.



Web application = directory structure: To create


dynamic web app using Technologies Servlet

For JSP we need to follow some standard
web app directory structure given by
sun micro systems

⇒ By following web app directory structure a

web app gets principle called WODAS

(Write once & Deploy Any server).



Date

6/2/18

Servlet

Life cycle

① When container started

Doesn't exist

instantiation

② When

first req is arrived

a) constructor will be called
b) init() will be called

initialization

Service

a) service(-,-)
parameters(rw,rw)

Destroy

Destroy()
method

Service

parameters(rw,rw)

A Servlet programmer create a servlet class and implement some business logic required init and then generate a class file for the Servlet. After generating a class file then a programmer Deploy the Servlet class into server side there is web container which manage the life and death of the servlet object in server. It means a servlet life cycle is managed by servlet container.

- A servlet container manages a servlet life cycle by using set of well define steps
- (1) Doesn't exist
 - (2) instantiation
 - (3) initialization
 - (4) service
 - (5) Destroy

By default a servlet object is unavailable in a server. It means a servlet object

doesn't exist in a server.

→ When a servlet container is started

Then servlet container loads a servlet class into memory (JVM) and then the

container instantiates a server by this

step a servlet object is moved from

doesn't exist to instantiation.

→ By default a servlet container delays

instantiation a first request is called arrived for a servlet.

→ we can inform a servlet container through

deployment so that a servlet container

creates a servlet object when ever a

container is executed.

→ After a servlet is instantiated then

immediately constructor will be executed

→ Once a init method execution is completed then

The servlet will be ready to provide service to client request.

- And ~~init~~ ^{init} ~~edit~~ method execution is completed then
The servlet will be ready to provide service
to the client request.
- Now, reads a client Request Creates Bus-
iness logic to generates response to client
This stage is called service.
- The service method is called for each
Request given by client to the servlet.
- It means container invokes service method
for multiple times
- After service is done ie, when servlet
no longer required in server Then The
container will destroy a servlet.
- Once a servlet object is destroyed then the
servlet object becomes doesn't exist in the
server.

Life cycle method

(i) init():

```
public void init(servletConfig config)
throws ServletException
```

It is called when the servlet is loaded into the application.

(ii) service():

```
public void service(ServletRequest req,
ServletResponse res)
```

It is called when the client sends a request to the server.

(iii) destroy():

```
public void destroy()
```

It is called when the server removes the servlet.

It is called when the server removes the servlet.

It is called when the server removes the servlet.


Deployment Descriptor

⇒ A servlet programmer creates a servlet with the required business logic built in the server. A servlet container will manage a servlet to inform about a servlet to the container about a programmer writes a servlet config file.

⇒ While writing a servlet config a programmer will config the following three names of servlet

- fully qualified name of servlet
- logical name of servlet
- URL pattern / name of servlet

Web.xml



<Servlet-name> aliasname </Servlet-name>

<Servlet-class> fully qualified classname </Servlet-class>

< servlet-mapping >

< servlet-name>, alias name </servlet-name>

< servlet-class > : *WELCOME* class

< url-pattern > name </servlet-class>

< /servlet-mapping > part of welcome


< /web-app > part of web.xml

⇒ Step-by-step process to create a web

application with a servlet to get some
text - Content Welcome response.

Step 1:

⇒ Create the following directory structure



step 2: Create the welcome servlet .java like following

```
//welcomeServlet.java
import java.io.*;
import javax.servlet.*;

public class welcomeServlet extends GenericServlet
{
    public void service(ServletRequest req, ServletResponse res)
        throws ServletException, IOException
    {
        PrintWriter pw = response.getWriter();
        pw.println("<h1> Welcome to Servlets </h1>");
        pw.close();
    }
}
```

In the above code the extended our class from an abstract class Generic servlets. In these generic servlet class there is a one method called Service Method.

Step 2:

NOTE: If we write the `System.out.println("Hello World")` statement
Then the o/p will be displayed on Server
Console but not on a Web Browser.

Step 3:

⇒ Configure welcome servlet in web.xml file

Ways to do this are: `<welcome-file>` and `<servlet>`

`<!-- web.xml -->`

`<web-app>`

`<servlet>`

`<Servlet-name> Welcome </servlet-name>`

`<Servlet-class> welcome </servlet-class>`

`</servlet>`

`<servlet-mapping>`

`<Servlet-name> welcome </servlet-name>`

`<url-pattern> /serv </url-pattern>`

`</servlet-mapping>`

`</web-app>`

Step 4: To compile to servlet we need to set
Servlet-api-jar file class path by

tomcat server.

D:/welcome App WEB-INF/classes> *there is a thread for each*

set classpath = "C:/programfiles/

Apache software foundation/tomcat 7.0/lib/servlet-api.jar"

Java welcome servlet. Java L

Step 5: Deploy the web app's in tomcat server,

to deploy our web application in Tomcat

Server, copy root directory of app into

C:/programfiles/Apache software foundation/tomcat 7.0/web

a web app can be deployed in 3 ways

- 1) hard deployment
- 2) console deployment
- 3) Tool based deployment

Step 6: Start the Tomcat server.

To start ⇒ Goto program files / Apache software foundation / Tomcat 7.0 / Bin folder and double click - Tomcat 7.0.

Step 7: Open the browser and type the following URL to send a request to Servlet.

http://localhost:8080/welcomeApp/sawd

Definition

Servlet :- It is a Java program

It is a simple Java program

That run on the server. It is an API. That provides many interfaces and classes including documentation.

Servlet is a web component that is deployed in server to create dynamic web page.

Adv: ↳ Better performance

↳ Because it creates a thread for each

sequence of process.

↳ portability

↳ Robust

↳ Servlet are managed by Jvm so, we don't need worry about memory, Garbage collection etc.

↳ security


Date
19/2/18

Ques. (per question) min 5 b/w slides

The following (web) application contains a servlet which accepts age as a parameter and provides

The response as eligible (or) not eligible to vote based on the age value?

Directory Structure



Program

// voterServlet.java

import java.io.*;

public import javax.servlet.*;

public class VoterServlet extends GenericServlet

{

public void service (Servlet Request req, Servlet

Response res) {

throws ServletException, IOException

String age = req.getParameter ("age");

PrintWriter pw = res.getWriter();

String str = req.getParameter ("age");

int age = Integer.parseInt (str);

if (age >= 18)

{

pw.println ("

");

Ur eligible to vote </h1>");

}

else

{

pw.println ("

");

Ur NOT eligible to vote </h1>");

}

pw.close();

}

<!-- web.xml -->

<web-app>

<servlet>

<servlet-name> voter </servlet-name>

<servlet-class> VoterServlet </servlet-class>

</servlet>

<servlet-mapping>

<servlet-name> voter </servlet-name>

<url-pattern> /vote </url-pattern>


</url-pattern>

</servlet-mapping>

</web-app>

The following web application contain servlet with all lifecycle method in it. This Example is to know the number of times a life cycle method is called by web container.

Directory structure:



PROGRAM

```
// LifeCycleServlet.java
```

```
import java.io.*;
```

```
import javax.servlet.*;
```

```
public class LifeCycleServlet extends GenericServlet {
```

```
public LifecycleServlet()
```

```
{
```

```
    System.out.println("I am constructor");
```

```
}
```

```
public void init(ServletConfig config)
```

throws ServletException

```
    System.out.println("I am lifecycle init");
```

```
}
```

```
public void service(HttpServletRequest req, HttpServletResponse res)
```

throws ServletException, IOException

```
{
```

```
    System.out.println("I am lifecycle service");
```

```
}
```

```
public void destroy()
```

```
{
```

```
    System.out.println("I am life cycle destroy");
```

```
}
```

final static String name = "A";

```
3
```

variable is static final

variable, static final can be

```
<! -- web.xml -->
<Web-app>
<Servlet>
<Servlet-name> lifecycle </Servlet-name>
<Servlet-class> lifecycle </Servlet-class>
</Servlet>
<Servlet-mapping>
<Servlet-name> lifecycle </Servlet-name>
<Url-pattern> /serv </Url-pattern>
</Servlet-mapping>
</Web-app>
```

of ~~Print~~ to
("body") I am a constructor

I am a lifecycle init

I am a lifecycle service

I am a lifecycle Service

Servlet API :-

Unit III

①

The javax.servlet & javax.servlet.http packages represent interfaces & classes for Servlet API.

The javax.servlet package contains many interfaces & classes that are used by the Servlet & web container. These are not specific to any protocol.

The javax.servlet.http package contains interfaces & classes that are responsible for http request only.

Let's see what are the interfaces of javax.servlet package.

javax.servlet package:-

This contains no. of interfaces & classes that establish the framework in which servlets operate. They are as follows,

<u>interface</u>	<u>Description</u>
Servlet	Declares life cycle methods for a servlet
ServletConfig	Allows servlets to get initialization parameters
ServletRequest	Used to read data from a client input
ServletResponse	Used to write data to a client response

<u>class</u>	<u>Description</u>
GenericServlet	Implements the <u>Servlet</u> & <u>ServletConfig</u> interface
ServletInputStream	Provides an <u>InputStream</u> for reading request from a client
ServletOutputStream	Provides an <u>OutputStream</u> for writing responses to a client
ServletException	Indicates a servlet error occurred.

- GenericServlet implements the Servlet & ServletConfig interface
- ServletInputStream provides an InputStream for reading request from a client
- ServletOutputStream provides an OutputStream for writing responses to a client
- ServletException indicates a servlet error occurred.

Let's examine these interfaces & classes in more detail,

The Servlet Interface

Void init() — called when the servlet is initialized

Void destroy() — called when the servlet is unloaded

Void service() — called to process a request from a client

The ServletConfig Interface

getInitParameter() — Returns the value of the named servlet initialization parameter

getInitParameterNames() — Returns the names of all the servlet's initialization parameters.

The ServletRequest Interface

getAttribute() — Returns the value of the named attribute as an object

getAttributeNames() — Returns the names of the attributes

getParameter() — Returns value of the request parameter as a String

getParameterNames() — Returns array of the String objects containing the names.

The ServletResponse Interface

SetContentType() — Sets the Content type of the response being sent to client

SetContentLength() — Sets the length of the content body in the response

getWriter() — Returns a PrintWriter object that can send character text to the client

getOutputStream()

The GenericServlet Class

It provides the implementation of all the methods of these interfaces except the service method & provide implementation of service.

① public void init(ServletConfig config) → initialize the servlet

② public abstract void service (ServletRequest request,

ServletResponse response) → provides service for req, res

- ③ public ServletConfig getServletConfig()
 ④ public void destroy()
 ⑤ public void init()

(2)

the ServletInputStream class:-

ServletInputStream class extends InputStream. It is implemented by Server & provides an inputStream to read the data from client request.

~~int~~: int readLine(byte[] buffer, int offset, int size) throws IOException
 ↓

here, buffer is the array into which size bytes are placed starting at offset. It returns the actual no. of bytes read.

the ServletOutputStream class

ServletOutputStream class extends OutputStream. It is implemented by Server & provides OutputStream that a Servlet developer can use to write data to a Client response.

print() → methods
 println()

the ServletException class:-

Javax.Servlet defines two exceptions. The first is ServletException, which indicates that a Servlet problem.

Second is unavailableException which extends ServletException. It indicates that a Servlet is unavailable.

the javax.servlet.http package:-

It contains a no. of interfaces & classes that are commonly used by Servlet developers. It is easy to build Servlets that work with HTTP requests & responses.

interface

	<u>Description</u>
HttpServletRequest	— Enables servlets to read data from an HTTP request
HttpServletResponse	— Enables servlet to write data to an HTTP response
HttpSession	— Allows session data to be read & written

class

	<u>Description</u>
Cookie	— Allows state information to be stored on client machine
HttpServlet	— Provides methods to handle HTTP requests & responses

the HttpServletRequest Interface It is used to obtain the information from clients HTTP request

- getCookies() — returns the information in the cookies in the request mode
- getHeader() — returns the value of the header fields
- getHeaderNames() — returns the names of the header fields
- getPathInfo() — returns the path information about the Servletpath
- getMethod() — returns the HTTP method for the client request

the HttpServletResponse Interface:

It is used to formulate an HTTP response to the client

- addCookie() — it is used to add cookie in the response
- setHeader() — Set a response header with given name & value
- encodeURL() — This method is used to encode the specified URL

HttpSession Interface

The servlet can read (or) write this information using HttpSession interface. It's implemented by Session

- getID() — returns the session ID
- getAttribute() — returns the value of attribute
- getAttributeNames() — returns the attribute names

Cookie class:-

A cookie is a small piece of information that is stored in the client's machine.

class:-

getValue() — returns a value of the cookie

SetValue() — sets the value to the cookie

getName() — returns the cookie name

HttpServlet class

The HttpServlet class extends GenericServlet. It is used when developing servlets that receive & process HTTP requests.

```
void doget (HttpServletRequest req,  
           HttpServletResponse res)
```

this method performs
HTTP get request

```
void dopost (HttpServletRequest req,  
            HttpServletResponse res)
```

this method performs
HTTP post request

```
void service (HttpServletRequest req,  
             HttpServletResponse res)
```

this method is invoked
for processing HTTP
req & res

How Servlet Application works,


① user sends request for a servlet by clicking URL.

② the Container finds the servlet using deployment


descriptor & creates two objects.

a) HttpServletRequest

b) HttpServletResponse




- ③ Then container creates a thread for that req & calls service() method & passes the req, res objects as arguments



- ④ The service() method, then decides which servlet method, doGet() or doPost() to call based on HTTP Request Method (Get, Post, etc.)

⑤ Servlet uses response object to write the response back to the client



- ⑥ After the service() method is complete, the thread dies



Unit 11

Reading Initialization parameters

A Servlet may have some values needed for it's execution or a Programmer may require some values to be fed to Servlet needed in the coding for execution. These values are specific to a particular Servlet and not required for all Servlets. For this, the deployment descriptor web.xml, comes with <init-param> tag and an example is given to read all <init-param> values and also a single one.

To read the <init-param> values, known as **initialization parameters**, we use ServletConfig interface from javax.servlet package.

```

<init-param>
    <param-name>portnumber</param-name>
    <param-value>8888</param-value>
</init-param>

```

The above code is an example entry in web.xml file. To read 8888 of <param-value>, it is used portnumber of <param-name>. portnumber and 8888 are used as key/value pairs in Servlet coding.

ServletConfig Example using getInitParameter() and getInitParameterNames() methods:

Client file to invoke Servlet: InitParam.html

```

<body>
Would you like read <a href="http://localhost:8888/india/bharat">initialization parameters </a>from
web.xml file sir?
</body>

```

The above HTML code includes just an hyper link to invoke **ReadInitParamValues** Servlet with alias name **bharat**.

(2)

Following is the web.xml entry for the Servlet:

```
<servlet>
    <servlet-name>hello</servlet-name>
    <servlet-class>ReadInitParamValues</servlet-class>
    <init-param>
        <param-name>pearlcity</param-name>
        <param-value>Hyderabad</param-value>
    </init-param>
    <init-param>
        <param-name>monument</param-name>
        <param-value>Charminar</param-value>
    </init-param>
    <init-param>
        <param-name>mangoCost</param-name>
        <param-value>250.5</param-value>
    </init-param>
    <init-param>
        <param-name>numberOfMangoes</param-name>
        <param-value>30</param-value>
    </init-param>
</servlet>
<servlet-mapping>
    <servlet-name>hello</servlet-name>
    <url-pattern>/bharat</url-pattern>
</servlet-mapping>
```

web.xml file can have any number of <init-param> tags.

Servlet file: ReadInitParamValues.java (of alias name bharat):

```

import javax.servlet.ServletException;
import javax.servlet.ServletConfig;
import javax.servlet.http.*;
import java.io.*;
import java.util.Enumeration;
the action of meaning a no. of things one by one
public class ReadInitParamValues extends HttpServlet
{
    public void service( HttpServletRequest req, HttpServletResponse res ) throws ServletException,
    IOException
    {
        res.setContentType("text/html");
        PrintWriter pw = res.getWriter();
        // obtain an object of ServletConfig interface
        ServletConfig config = getServletConfig();
        // to read all values
        pw.println("Reading all values:" + "<br>");
        Enumeration e = config.getInitParameterNames();
        while(e.hasMoreElements())
        {
            String name = (String) e.nextElement(); // returns the <param-name>
            String value = config.getInitParameter(name); // returns <param-value>
            pw.println("<br>" + name + ":" + value );
        }
    }
}

```

```
// to read one value (not all) and use in code

String str1 = config.getInitParameter("mangoCost");

String str2 = config.getInitParameter("numberOfMangoes");

// parsing code

double mc = Double.parseDouble(str1);

int nom = Integer.parseInt(str2);

pw.println("<hr>Reading one value:" + "<br><br>");

pw.println("One mango cost: " + mc/nom);

// to use getServletConfig() method

pw.println("<hr>Servlet Name: " + config.getServletName());

// prints <servlet-name> of web.xml file. In this case hello

pw.close();

}

}
```

Explanation for the above code:

Following is the method of **GenericServlet** class used in the servlet code.

```
public javax.servlet.ServletConfig getServletConfig();
```

Following are the methods of **ServletConfig** interface used in the servlet code.

```
public abstract java.lang.String getServletName();

public abstract java.lang.String getInitParameter(java.lang.String);

public abstract java.util.Enumeration getInitParameterNames();
```

```
ServletConfig config = getServletConfig();
```

ServletConfig interface from **javax.servlet** package is used to read the initialization parameters of web.xml. Its object is returned by the **getServletConfig()** method of **HttpServlet**(inherited from **GenericServlet**). **config** is an object of **ServletConfig**.

```
Enumeration e = config.getInitParameterNames();
```

getInitParameterNames() method of **ServletConfig** interface returns an object of Enumeration. The object **e** of **Enumeration** contains the values of all **<param-name>** tags but not of **<param-value>** tags. The values of **<param-value>** tags are be obtained from **<param-name>** tags. This is what is done in the following loop.

```
while(e.hasMoreElements())
{
    String name = (String) e.nextElement(); // returns the <param-name>
    String value = config.getInitParameter(name); // returns <param-value>

    pw.println("<br>" + name + " : " + value );
}
```

It is the same Enumeration interface we used to iterate collection classes. The **nextElement()**method of **Enumeration** returns an object of **Object** class and is type casted to **String**. The **name** variable contains the **<param-name>** value. The **name** variable is passed to **getInitParameter(name)** to get the value of its corresponding **<param-value>** value.

getInitParameterNames() returns all values and **getInitParameter("mangoCost")** returns only one value of corresponding **<param-value>** value. Observe the web.xml entry given earlier.

```
String str1 = config.getInitParameter("mangoCost");
String str2 = config.getInitParameter("numberOfMangoes");
```

getInitParameter(String) returns **String** object and is required to parse to use in arithmetic operations.

```
double mc = Double.parseDouble(str1);
```

(6)



```
int nom = Integer.parseInt(str2);
```

str1 representing **mangoCost** is parsed to double and
str2 representing **numberOfMangoes** is parsed to int.

```
pw.println("<hr>Servlet Name: " + config.getServletName());
```

The <servlet-name> value of web.xml can be obtained
with **getServletName()** of **ServletConfig**.

The output screen :



Reading Servlet Parameters

The `ServletRequest` class includes methods that allow you to read the names and values of parameters that are included in a client request. We will develop a servlet that illustrates their use.

The example contains two files.

A Web page is defined in `sum.html` and a servlet is defined in `Add.java`

sum.html:

```
<html>
<body>
<center>
<form name="Form1" method="post" action="Add">
<table>
<tr>
<td><B>Enter First Number</td>
<td><input type=textbox name="Enter First Number" size="25" value=""></td>
</tr>
<tr>
<td><B>Enter Second Number</td>
<td><input type=textbox name="Enter Second Number" size="25" value=""></td>
</tr>
</table>
<input type=submit value="Submit">
</body>
</html>
```

The HTML source code for sum.html defines a table that contains two labels and two text fields. One of the labels is Enter First Number, and the other is Enter Second Number. There is also a submit button. Notice that the action parameter of the form tag specifies a URL. The URL identifies the servlet to process the HTTP POST request.


Add.java :

```
import java.io.*;
import java.util.*;
import javax.servlet.*;
import javax.servlet.http.*;
public class Add extends HttpServlet
{
    public void doPost(HttpServletRequest request,HttpServletResponse response) throws
ServletException, IOException
    {
        // Get print writer.
        response.setContentType("text/html");
        PrintWriter pw = response.getWriter();
        // Get enumeration of parameter names.
        Enumeration e = request.getParameterNames();
        // Display parameter names and values.
        int sum=0;
        while(e.hasMoreElements())
        {
            String pname = (String)e.nextElement();
            pw.print(pname + " = ");
            String pvalue = request.getParameter(pname);
```

```
sum+=Integer.parseInt(pvalue);
pw.println(pvalue);
}
pw.println("Sum = "+sum);
pw.close();
}
}
```

The source code for Add.java contains `doPost()` method is overridden to process client requests. The `getParameterNames()` method returns an enumeration of the parameter names. These are processed in a loop. we can see that the parameter name and value are output to the client. The parameter value is obtained via the `getParameter()` method.

after typing URL : <http://localhost:9999/servlets/sum.html>



10

localhost:9999/servlets/sum.html

Computers and More || Home Page | Baby Boy Names A to Z Andhra Pradesh Govt

Enter First Number
Enter Second Number

localhost:9999/servlets/Add

Computers and More || Home Page | Baby Boy Names A to Z Andhra Pradesh Govt

First Number = 123
Second Number = 456
Sum = 579

Baby Boy Names A to Z (Page 4)
googleweblight.com/lite_url=http://www.ourbabynamer.com/boy-names_4.html&lc=en-IN&us=1&m=454&tst=1443453663&el...

Handling Http Request & Responses

The HttpServlet class provides specialized methods that handle the various types of HTTP requests. A servlet developer typically overrides one of these methods. These methods are doDelete(), doGet(), doHead(), doOptions(), doPost(), doPut(), and doTrace(). The GET and POST requests are commonly used when handling form input.

Handling HTTP GET Requests:

The following programs are for servlets that handles HTTP GET request. The servlet is invoked when a form on a Web page is submitted.

The example contains two files. A Web page is defined in Get.html and a servlet is defined in GetServlet.java. The HTML source code for Get.html is shown in the following listing. It defines a form that contains a select element and a submit button. Notice that the action parameter of the form tag specifies a URL. The URL identifies a servlet to process the HTTP GET request.

Get.html:

```
<html>
<body>
<center>
<form name="Form1" action="http://localhost:9999/servlet/GS">
<B>Color:</B>
<select name="color" size="1">
<option value="Red">Red</option>
<option value="Green">Green</option>
<option value="Blue">Blue</option>
```

(11) (12)

```
</select>  
  
<br><br>  
<input type=submit value="Submit">  
  
</form>  
  
</body>  
  
</html>
```

The source code for GetServlet.java is shown in the following listing. The doGet() method is overridden to process any HTTP GET requests that are sent to this servlet. It uses the getParameter() method of HttpServletRequest to obtain the selection that was made by the user. A response is then formulated.


GetServlet.java:

```
import java.io.*;  
import javax.servlet.*;  
import javax.servlet.http.*;  
  
public class GetServlet extends HttpServlet  
{  
    public void doGet(HttpServletRequest request, HttpServletResponse response)  
        throws ServletException, IOException  
    {  
        String color = request.getParameter("color");  
        response.setContentType("text/html");  
        PrintWriter pw = response.getWriter();  
        pw.println("<B>The selected color is: ");  
        pw.println(color);  
        pw.close();
```

```
 }  
 }
```


Compile the servlet and perform these steps to test this example:

1. Start Tomcat, if it is not already running.
2. Display the Web page in a browser.




3. Select a color.

14



4. Submit the Web page.



After completing these steps, the browser will display the response that is dynamically generated by the servlet. One other point: Parameters for an HTTP GET request are included as part of the URL that is sent to the Web server. Assume that the user selects the green option and submits the form. The URL sent from the browser to the server is
<http://localhost:9999/servlet/GS?color=Green>

The characters to the right of the question mark are known as the query string.

Handling HTTP POST Requests:

The servlet is invoked when a form on a Web page is submitted. The example contains two files. A Web page is defined in Post.html and a servlet is defined in PostServlet.java. The HTML source code for Post.html is shown in the following listing. It is identical to Post.html except that the method parameter for the form tag explicitly specifies that the POST method should be used, and the action parameter for the form tag specifies a different servlet.

Post.html:

```
<html>
<body>
<center>
<form name="Form1" method="post" action="http://localhost:9999/servlet/PS">
<B>Color:</B>
<select name="color" size="1">
<option value="Red">Red</option>
<option value="Green">Green</option>
<option value="Blue">Blue</option>
</select>
<br><br>
<input type=submit value="Submit">
</form>
</body>
</html>
```


PostServlet.java:



```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;

public class ColorPostServlet extends HttpServlet
{
    public void doPost(IHttpServletRequest request, HttpServletResponse response) throws
    ServletException, IOException
    {
    }
```

```
String color = request.getParameter("color");  
response.setContentType("text/html");  
PrintWriter pw = response.getWriter();  
pw.println("<B>The selected color is: ");  
pw.println(color);  
pw.close();  
}  
}
```

Compile the servlet and perform the same steps as described in the previous section to test it.





Note: Parameters for an HTTP POST request are not included as part of the URL that is sent to the Web server. In this example, the URL sent from the browser to the server is
<http://localhost:9999/servlet/PS>

The parameter names and values are sent in the body of the HTTP request.

Using Cookies

Cookies are usually small text files, given ID tags that are stored on your computer's browser directory or program data subfolders. Cookies are created when you use your browser to visit a website that uses cookies to keep track of your movements within the site, help you resume where you left off, remember your registered login, theme selection, preferences, and other customization functions. The website stores a corresponding file (with same ID tag) to the one they set in your browser and in this file they can track and keep information on your movements within the site and any information you may have voluntarily given while visiting the website, such as email address.

[There are two types of cookies: session cookies and persistent cookies. Session cookies are created temporarily in your browser's subfolder while you are visiting a website. Once you leave the site, the session cookie is deleted. On the other hand, persistent cookie files remain in your browser's subfolder and are activated again once you visit the website that created that particular cookie. A persistent cookie remains in the browser's subfolder for the duration period set within the cookie's file.]

Now, let's develop a servlet that illustrates how to use cookies. The servlet is invoked when a form on a Web page is submitted. The example contains three files as summarized here

File	Description
AddCookie.html	Allows a user to specify a value for the cookie named MyCookie.
AddCookieServlet.java	Processes the submission of AddCookie.html.
GetCookiesServlet.java	Displays cookie values.

The HTML source code for AddCookie.html is shown in the following listing. This page contains a text field in which a value can be entered. There is also a submit button on the page. When this button is pressed, the value in the text field is sent to AddCookieServlet via an HTTP POST request.



AddCookie.html:

```
<html>
<body>
<center>
<form name="Form1" method="post"
      action="http://localhost:8080/examples/servlet/AddCookieServlet">
<B>Enter a value for MyCookie:</B>
<input type= textbox name="data" size=25 value="">
<input type=submit value="Submit">
</form>
</body>
</html>
```

The source code for AddCookieServlet.java is shown in the following listing. It gets the value of the parameter named “data”. It then creates a Cookie object that has the name “MyCookie” and contains the value of the “data” parameter. The cookie is then added to the header of the HTTP response via the addCookie() method. A feedback message is then written to the browser.

AddCookieServlet.java:

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
public class AddCookieServlet extends HttpServlet
{
    public void doPost(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException
```

```
{  
    // Get parameter from HTTP request.  
  
    String data = request.getParameter("data");  
  
    // Create cookie.  
  
    Cookie cookie = new Cookie("MyCookie", data);  
  
    // Add cookie to HTTP response.  
  
    response.addCookie(cookie);  
  
    // Write output to browser.  
  
    response.setContentType("text/html");  
  
    PrintWriter pw = response.getWriter();  
  
    pw.println("<B>MyCookie has been set to");  
    pw.println(data);  
    pw.close();  
}  
}
```

The source code for GetCookiesServlet.java is shown in the following listing. It invokes the getCookies() method to read any cookies that are included in the HTTP GET request. The names and values of these cookies are then written to the HTTP response. Observe that the getName() and getValue() methods are called to obtain this information.


GetCookiesServlet.java:


```
import java.io.*;  
  
import javax.servlet.*;  
  
import javax.servlet.http.*;  
  
public class GetCookiesServlet extends HttpServlet  
{
```

```
public void doGet(HttpServletRequest request, HttpServletResponse response)
throws ServletException, IOException
{
    // Get cookies from header of HTTP request.
    Cookie[] cookies = request.getCookies();
    // Display these cookies.
    response.setContentType("text/html");
    PrintWriter pw = response.getWriter();
    pw.println("<B>");
    for(int i = 0; i < cookies.length; i++)
    {
        String name = cookies[i].getName();
        String value = cookies[i].getValue();
        pw.println("name = " + name +
                   "; value = " + value);
    }
    pw.close();
}
```

Compile the servlet and perform these steps:

1. Start Tomcat, if it is not already running.
2. Display AddCookie.htm in a browser.
3. Enter a value for MyCookie.
4. Submit the Web page.






After completing these steps you will observe that a feedback message is displayed by the browser.

Next, request the following URL via the browser:

http://localhost:9999/servlets/GCS



Observe that the name and value of the cookie are displayed in the browser. In this example, an expiration date is not explicitly assigned to the cookie via the `setMaxAge()` method of `Cookie`. Therefore, the cookie expires when the browser session ends. You can experiment by using `setMaxAge()` and observe that the cookie is then saved to the disk on the client machine.

Session Tracking

HTTP is a stateless protocol. Each request is independent of the previous one. However, in some applications, it is necessary to save state information so that information can be collected from several interactions between a browser and a server. Sessions provide such a mechanism.

A session can be created via the `getSession()` method of `HttpServletRequest`. An `HttpSession` object is returned. This object can store a set of bindings that associate names with objects. The `setAttribute()`, `getAttribute()`, `getAttributeNames()`, and `removeAttribute()` methods of `HttpSession` manage these bindings. It is important to note that session state is shared among all the servlets that are associated with a particular client.

The following servlet illustrates how to use session state. The `getSession()` method gets the current session. A new session is created if one does not already exist. The `getAttribute()` method is called to obtain the object that is bound to the name "date". That object is a `Date` object that encapsulates the date and time when this page was last accessed. (Of course, there is no such binding when the page is first accessed.) A `Date` object encapsulating the current date and time is then created. The `setAttribute()` method is called to bind the name "date" to this object.

```

import java.io.*;
import java.util.*;
import javax.servlet.*;
import javax.servlet.http.*;
public class DateServlet extends HttpServlet
{
    public void doGet(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException
    {
        // Get the HttpSession object.
        HttpSession hs = request.getSession(true);

        // Get writer.
        response.setContentType("text/html");
        PrintWriter pw = response.getWriter();
        pw.print("<B>");

        // Display date/time of last access.
        Date date = (Date)hs.getAttribute("date");


        if(date != null)
        {
            pw.print("Last access: " + date + "<br>");
        }
    }
}

```





```
// Display current date/time.  
date = new Date();  
hs.setAttribute("date", date);  
pw.println("Current date: " + date);  
}  
}
```

When you first request this servlet, the browser displays one line with the current date and time information.



On subsequent invocations, two lines are displayed. The first line shows the date and time when the servlet was last accessed. The second line shows the current date and time.





Servlet Chaining

| *Servlet Request Dispatcher*

If a client request is processed by group of servlets, then that servlets are known as servlet chaining or if the group of servlets process a single client request then those servlets are known as servlet chaining.

In order to process a client request by many number of servlets then we have two models, they are forward model and include model.

Forward model:

In this model when we forward a request to a group of servlets, finally we get the result of destination servlet as a response but not the result of intermediate servlets.

Include model:

If a single client request is passed to a servlet and that servlet makes use of other group of servlets to process a request by including the group of servlets into a single servlet.

Note: One servlet can include any number of servlets where as one servlet can forward to only one servlet at a time.

FirstServlet.java

```
import javax.servlet.*;
import javax.servlet.http.*;
import java.io.*;
public class FirstServlet extends HttpServlet
{
    public void doGet(HttpServletRequest req, HttpServletResponse res) throws ServletException,
IOException {
        res.setContentType("text/html");
        PrintWriter pw = res.getWriter();
        pw.println("<h2>I AM FROM FirstServlet BEGINNING</h2>");
        ServletContext ctx = getServletContext();
        RequestDispatcher rd = ctx.getRequestDispatcher("/SS");
        rd.include(req, res);
        pw.println("<h2>I AM FROM FirstServlet ENDING</h2>");
    }
}
```

SecondServlet.java

```
import javax.servlet.*;
import javax.servlet.http.*;
import java.io.*;
public class SecondServlet extends HttpServlet
{
```

```
public void doGet(HttpServletRequest req, HttpServletResponse res) throws ServletException,  
IOException  
{  
    res.setContentType("text/html");  
    PrintWriter pw = res.getWriter();  
    pw.println("<h2>I AM FROM SecondServlet</h2>");  
}  
}
```

Update web.xml with :

```
<servlet>  
    <servlet-name>FS</servlet-name>  
    <servlet-class>FirstServlet</servlet-class>  
</servlet>  
  
<servlet-mapping>  
    <servlet-name>FS</servlet-name>  
    <url-pattern>/FS</url-pattern>  
</servlet-mapping>  
  
<servlet>  
    <servlet-name>SS</servlet-name>  
    <servlet-class>SecondServlet</servlet-class>  
</servlet>  
  
<servlet-mapping>  
    <servlet-name>SS</servlet-name>  
    <url-pattern>/SS</url-pattern>  
</servlet-mapping>
```

Output:

localhost:9999/servlets/FS
Computers and More || Home Page || Baby Boy Names A to Z || Andhra Pradesh Govt

I AM FROM FirstServlet BEGINNING

I AM FROM SecondServlet

I AM FROM FirstServlet ENDING

- 1) Write a program to store the user information into Cookies. Write another program to display the above stored information by retrieving from Cookies.

Program:**AddCookieServlet.html:**

```
<html>
<body>
<center>
<form name="Form1" method="post" action="ACS">
<B>Enter a value for MyCookie:</B>
<input type= textbox name = "d1" size=25 value="">
<input type= textbox name = "d2" size=25 value="">
```

```
<input type=textbox name = "d3" size=25 value="">
<input type=submit value = "Submit">
</form>
</body>
</html>
```

AddCookieServlet.java

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
public class AddCookieServlet extends HttpServlet
{
    public void doPost(HttpServletRequest request,HttpServletResponse response)
        throws ServletException, IOException
    {
        // Get parameter from HTTP request.
        String a = request.getParameter("d1");
        String b = request.getParameter("d2");
        String c = request.getParameter("d3");

        // Create cookie.
        Cookie cookie1 = new Cookie("MyCookie1", a);
        Cookie cookie2 = new Cookie("MyCookie2", b);
        Cookie cookie3 = new Cookie("MyCookie3", c);

        // Add cookie to HTTP response.
```

```
response.addCookie(cookie1);
response.addCookie(cookie2);
response.addCookie(cookie3);

// Write output to browser.

response.setContentType("text/html");
PrintWriter pw = response.getWriter();
pw.println("<B>MyCookie has been set to");
pw.println(a+" "+b+" "+c);
pw.close();
}

}
```


GetCookieServlet.java

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
public class GetCookiesServlet extends HttpServlet
{
    public void doGet(HttpServletRequest request,HttpServletResponse response)
        throws ServletException, IOException
    {
        // Get cookies from header of HTTP request.
        Cookie[] cookies = request.getCookies();
        // Display these cookies.
        response.setContentType("text/html");



```

```
PrintWriter pw = response.getWriter();
pw.println("<B>");
for(int i = 0; i < cookies.length; i++)
{
    String name = cookies[i].getName();
    String value = cookies[i].getValue();
    pw.println("name = " + name +
    "; value = " + value);
}
pw.close();
}
```


Output:



76




Type <http://localhost:9999/servlets/GCS> to retrieve cookies information



Connecting to a database using JDBC


Java JDBC is a java API to connect and execute query with the database. JDBC API uses jdbc drivers to connect with the database.



Why use JDBC

Connecting to a database using JDBC:-

JDBC Stands Java Database Connectivity & it is a java API to connect & execute query with db. JDBC API uses JDBC drivers to connect with the db.



Why use JDBC,


Before JDBC, ODBC API was the db API to connect & execute query with the db. But, ODBC API uses ODBC driver while written in c lang (i.e., platform dependent & unsecured). That's why Java has define its own API (JDBC API) that uses JDBC driver (written java lang) (i.e., platform independent & secured).

JDBC driver

It is a s/w component that enables java application to interact with db. There 4 types of JDBC drivers.

① JDBC - ODBC bridge driver,

It uses ODBC driver to connect to the db. This driver converts JDBC method calls to the ODBC function calls. This is now discouraged because of thin driver.



adv:-

- easy to use
- can be easily connected to any db.

2) Native API driver


It uses the client side libraries of the db. The driver converts JDBC method calls into native calls of the db API. It is not written entirely in java.



Adv:- Performance upgraded than JDBC-ODBC driver

3) Network protocol driver


It uses middleware (Application Server) that converts JDBC calls directly or indirectly into vendor-specific db protocols. It is fully written in java.



Adv :- no client side library required b/c of application server

4) thin driver

This driver converts JDBC calls directly into the vendor specific db protocol. It is fully written in java.



Adv:-

- Better performance than all other drivers
- no sw is required at client side & server side

Before JDBC, ODBC API was the database API to connect and execute query with the database. But, ODBC API uses ODBC driver which is written in C language (i.e. platform dependent and unsecured). That is why Java has defined its own API (JDBC API) that uses JDBC drivers (written in Java language).

JDBC Driver

JDBC Driver is a software component that enables java application to interact with the database. There are 4 types of JDBC drivers:

1. JDBC-ODBC bridge driver
2. Native-API driver (partially java driver)
3. Network Protocol driver (fully java driver)
4. Thin driver (fully java driver)

*Explain all these 4 drivers
(refer your notes)*

1) JDBC-ODBC bridge driver

The JDBC-ODBC bridge driver uses ODBC driver to connect to the database. The JDBC-ODBC bridge driver converts JDBC method calls into the ODBC function calls. This is now discouraged because of thin driver.




Figure- JDBC-ODBC Bridge Driver

Advantages:

- o easy to use.
- o can be easily connected to any database.

Disadvantages:

- o Performance degraded because JDBC method call is converted into the ODBC function calls.
- o The ODBC driver needs to be installed on the client machine.

5 Steps to connect to the database in java

There are 5 steps to connect any java application with the database in java using JDBC. They are as follows:

1) Register the driver class

The `forName()` method of `Class` class is used to register the driver class. This method is used to dynamically load the driver class.

Syntax of `forName()` method

1. `public static void forName(String className) throws ClassNotFoundException`

Example to register the `OracleDriver` class

```
Class.forName("oracle.jdbc.driver.OracleDriver");
```

2) Create the connection object

The `getConnection()` method of `DriverManager` class is used to establish connection with the database.

Syntax of `getConnection()` method

- 1) `public static Connection getConnection(String url) throws SQLException`
- 2) `public static Connection getConnection(String url, String name, String password)`
3. `throws SQLException`

Example to establish connection with the Oracle database

1. `Connection con=DriverManager.getConnection(`
2. `"jdbc:oracle:thin:@localhost:1521:xe","system","password");`

3) Create the Statement object

The `createStatement()` method of `Connection` interface is used to create statement. The object of statement is responsible to execute queries with the database.

Syntax of `createStatement()` method

1. `public Statement createStatement() throws SQLException`

Example to create the statement object

1. Statement stmt=con.createStatement();

4) Execute the query

The executeQuery() method of Statement interface is used to execute queries to the database. This method returns the object of ResultSet that can be used to get all the records of a table.

Syntax of executeQuery() method

1. public ResultSet executeQuery(String sql) throws SQLException

Example to execute query

1. ResultSet rs=stmt.executeQuery("select * from emp");
- 2.
3. while(rs.next()){
4. System.out.println(rs.getInt(1)+" "+rs.getString(2));
5. }

5) Close the connection object

By closing connection object statement and ResultSet will be closed automatically. The close() method of Connection interface is used to close the connection.

Syntax of close() method

1. public void close() throws SQLException

Example to close connection

1. con.close();

Example to connect to the Oracle database in java

For connecting java application with the oracle database, you need to follow 5 steps to perform database connectivity. In this example we are using Oracle10g as the database. So we need to know following information for the oracle database:

1. **Driver class:** The driver class for the oracle database

is **oracle.jdbc.driver.OracleDriver**.

2. **Connection URL:** The connection URL for the oracle10G database is **jdbc:oracle:thin:@localhost:1521:xe** where jdbc is the API, oracle is the database, thin is the driver, localhost is the server name on which oracle is running, we may also use IP address, 1521 is the port number and XE is the Oracle service name. You may get all these information from the tnsnames.ora file.
3. **Username:** The default username for the oracle database is **system**.
4. **Password:** Password is given by the user at the time of installing the oracle database.

Let's first create a table in oracle database.

```

1. create table emp(id number(10),name varchar2(40),age number(3));
2. import java.sql.*;
3. class OracleCon{
4. public static void main(String args[]){
5. try{
6. //step1 load the driver class
7. Class.forName("oracle.jdbc.driver.OracleDriver");
8.
9. //step2 create the connection object
10.Connection con=DriverManager.getConnection(
11."jdbc:oracle:thin:@localhost:1521:xe","system","oracle");
12.
13.//step3 create the statement object
14.Statement stmt=con.createStatement();
15.
16.//step4 execute query
17.ResultSet rs=stmt.executeQuery("select * from emp");
18.while(rs.next())
19.System.out.println(rs.getInt(1)+" "+rs.getString(2)+" "+rs.getString(3));
20.
21.//step5 close the connection object
22.con.close();
23.
24.}catch(Exception e){ System.out.println(e);}

```

1. **Driver class:** The driver class for the mysql database is **com.mysql.jdbc.Driver**.
2. **Connection URL:** The connection URL for the mysql database is **jdbc:mysql://localhost:3306/sonoo** where jdbc is the API, mysql is the database, localhost is the server name on which mysql is running, we may also use IP address, 3306 is the port number and sonoo is the database name. We may use any database, in such case, you need to replace the sonoo with your database name.
3. **Username:** The default username for the mysql database is **root**.
4. **Password:** Password is given by the user at the time of installing the mysql database. In this example, we are going to use root as the password.

Let's first create a table in the mysql database, but before creating table, we need to create database first.

1. create database sonoo;
2. use sonoo;
3. create table emp(id int(10),name varchar(40),age int(3));

Example to Connect Java Application with mysql database

In this example, sonoo is the database name, root is the username and password.

```

1. import java.sql.*;
2. class MysqlCon{
3. public static void main(String args[]){
4. try{
5. Class.forName("com.mysql.jdbc.Driver");
6. Connection con=DriverManager.getConnection(
7. "jdbc:mysql://localhost:3306/sonoo","root","root");
8. //here sonoo is database name, root is username and password
9. Statement stmt=con.createStatement();
10. ResultSet rs=stmt.executeQuery("select * from emp");
11. while(rs.next())
12. System.out.println(rs.getInt(1)+" "+rs.getString(2)+" "+rs.getString(3));
13. con.close();
14. }catch(Exception e){ System.out.println(e);}
15. }

```

25.
26. }
27. }

To connect java application with the Oracle database ojdbc14.jar file is required to be loaded.

Two ways to load the jar file:

1. paste the ojdbc14.jar file in jre/lib/ext folder
2. set classpath

1) paste the ojdbc14.jar file in JRE/lib/ext folder:

Firstly, search the ojdbc14.jar file then go to JRE/lib/ext folder and paste the jar file here.

2) set classpath:

There are two ways to set the classpath:

- o temporary
- o permanent

How to set the temporary classpath:

Firstly, search the ojdbc14.jar file then open command prompt and write:

1. C:>set classpath=c:\folder\ojdbc14.jar;;

How to set the permanent classpath:

Go to environment variable then click on new tab. In variable name write **classpath** and in variable value paste the path to ojdbc14.jar by appending ojdbc14.jar;; as C:\oraclexe\app\oracle\product\10.2.0\server\jdbc\lib\ojdbc14.jar;;

Example to connect to the mysql database in java

For connecting java application with the mysql database, you need to follow 5 steps to perform database connectivity.

In this example we are using MySql as the database. So we need to know following informations for the mysql database:

1. **Driver class:** The driver class for the mysql database is **com.mysql.jdbc.Driver**.
2. **Connection URL:** The connection URL for the mysql database is **jdbc:mysql://localhost:3306/sonoo** where jdbc is the API, mysql is the database, localhost is the server name on which mysql is running, we may also use IP address, 3306 is the port number and sonoo is the database name. We may use any database, in such case, you need to replace the sonoo with your database name.
3. **Username:** The default username for the mysql database is **root**.
4. **Password:** Password is given by the user at the time of installing the mysql database. In this example, we are going to use root as the password.

Let's first create a table in the mysql database, but before creating table, we need to create database first.

1. `create database sonoo;`
2. `use sonoo;`
3. `create table emp(id int(10),name varchar(40),age int(3));`

Example to Connect Java Application with mysql database

In this example, sonoo is the database name, root is the username and password.

```

1. import java.sql.*;
2. class MysqlCon{
3. public static void main(String args[]){
4. try{
5. Class.forName("com.mysql.jdbc.Driver");
6. Connection con=DriverManager.getConnection(
7. "jdbc:mysql://localhost:3306/sonoo","root","root");
8. //here sonoo is database name, root is username and password
9. Statement stmt=con.createStatement();
10. ResultSet rs=stmt.executeQuery("select * from emp");
11. while(rs.next())
12. System.out.println(rs.getInt(1)+" "+rs.getString(2)+" "+rs.getString(3));
13. con.close();
14. }catch(Exception e){ System.out.println(e);}
15. }

```

16. }

Download this example

The above example will fetch all the records of emp table.

To connect java application with the mysql database mysqlconnector.jar file is required to be loaded.

download the jar file mysql-connector.jar

Two ways to load the jar file:

1. paste the mysqlconnector.jar file in jre/lib/ext folder
2. set classpath

1) paste the mysqlconnector.jar file in JRE/lib/ext folder:

Download the mysqlconnector.jar file. Go to jre/lib/ext folder and paste the jar file here.

2) set classpath:

There are two ways to set the classpath:

- o temporary
- o permanent

How to set the temporary classpath

open command prompt and write:

1. C:>set classpath=c:\folder\mysql-connector-java-5.0.8-bin.jar;;

How to set the permanent classpath

Go to environment variable then click on new tab. In variable name write **classpath** and in variable value paste the path to the mysqlconnector.jar file by appending mysqlconnector.jar;; as C:\folder\mysql-connector-java-5.0.8-bin.jar;;

Example of Registration form in servlet

Here, you will learn that how to create simple registration form in servlet. We are using oracle10g database. So you need to create a table first as given below:

```

1. CREATE TABLE "REGISTERUSER"
2.   ( "NAME" VARCHAR2(4000),
3.     "PASS" VARCHAR2(4000),
4.     "EMAIL" VARCHAR2(4000),
5.     "COUNTRY" VARCHAR2(4000)
6.   )
7. /

```

To create the registration page in servlet, we can separate the database logic from the servlet. But here, we are mixing the database logic in the servlet only for simplicity of the program. We will develop this page in JSP following DAO, DTO and Singleton design pattern later.

Example of Registration form in servlet

In this example, we have created the three pages.

- o register.html
- o Register.java
- o web.xml

register.html

In this page, we have getting input from the user using text fields and combobox. The information entered by the user is forwarded to Register servlet, which is responsible to store the data into the database.

```

1. <html>
2. <body>
3. <form action="servlet/Register" method="post">
4.
5. Name:<input type="text" name="userName"/><br/><br/>
6. Password:<input type="password" name="userPass"/><br/><br/>
7. Email Id:<input type="text" name="userEmail"/><br/><br/>
8. Country:
9. <select name="userCountry">
10. <option>India</option>

```

```
11. <option>Pakistan</option>
12. <option>other</option>
13. </select>
14. .
15. <br/><br/>
16. <input type="submit" value="register"/>
17.
18. </form>
19. </body>
20. </html>
```

Register.java

This servlet class receives all the data entered by user and stores it into the database. Here, we are performing the database logic. But you may separate it, which will be better for the web application.

```
1. import java.io.*;
2. import java.sql.*;
3. import javax.servlet.ServletException;
4. import javax.servlet.http.*;
5.
6. public class Register extends HttpServlet {
7.     public void doPost(HttpServletRequest request, HttpServletResponse response)
8.             throws ServletException, IOException {
9.
10.    response.setContentType("text/html");
11.    PrintWriter out = response.getWriter();
12.
13.    String n=request.getParameter("userName");
14.    String p=request.getParameter("userPass");
15.    String e=request.getParameter("userEmail");
16.    String c=request.getParameter("userCountry");
17.
18.    try{
19.        Class.forName("oracle.jdbc.driver.OracleDriver");
20.        Connection con=DriverManager.getConnection(
21.            "jdbc:oracle:thin:@localhost:1521:xe","system","oracle");
```

```
22.  
23. PreparedStatement ps=con.prepareStatement(  
24. "insert into registeruser values(?, ?, ?, ?)");  
25.  
26. ps.setString(1,n);  
27. ps.setString(2,p);  
28. ps.setString(3,c);  
29. ps.setString(4,c);  
30.  
31. int i=ps.executeUpdate();  
32. if(i>0)  
33. out.print("You are successfully registered...");  
34.  
35.  
36. }catch (Exception e2) {System.out.println(e2);}  
37.  
38. out.close();  
39. }  
40.  
41. }
```

web.xml file

The is the configuration file, providing information about the servlet.

1. <web-app>
- 2.
3. <servlet>
4. <servlet-name>Register</servlet-name>
5. <servlet-class>Register</servlet-class>
6. </servlet>
- 7.
8. <servlet-mapping>
9. <servlet-name>Register</servlet-name>
10. <url-pattern>/servlet/Register</url-pattern>
11. </servlet-mapping>
- 12.
13. <welcome-file-list>

14. <welcome-file>register.html</welcome-file>
15. </welcome-file-list>
- 16.
17. </web-app>

①

Anatomy of JSP Page, let's start with Unit-IV

this is given by the sun microsystems. This is the most important technology in real time. By using this we can develop dynamic web pages.

first to go to JSP tech, try to understand,

when ever we are using servlet term there is a drawback of servlet technology

so many are there
① whenever we are configuring developing one servlet must & should we configure inside the web.xml file (assume that 100 servlets ^{we have to} _{100x} increase in our application) unnecessary increasing burden on developer

② whenever we are modifying the servlet must & should we need to stop the server & we need to compile the servlet inside the server & restart once again redeploy the application the server.

③ servlets are allowed by the only java code but not text & html code.

④ whenever we are using the servlets presenting the data is very slow.
these many disadvantages are there while developing the dynamic webpages to overcome these ^{when we are in JSP} we have to go to JSP.


Advantages of JSP technology:

- ① whenever we are developing the one JSP page we no need to configure inside the web.xml file.
- ② presenting the data is very fast compare to servlets whenever we are modifying the JSP we no need to start the server & restart the server
- ③ the JSP Pages is allowed by the html code & textual code & Java code also. These many advantages are there whenever we are developing one JSP page where you can place that page under root folder only ^{when we develop one JSP page} give with the extension .JSP

Rules of JSP Page


- we are developing one jsp page must & should,
- (1) whenever we are developing one jsp page must & should we need to save extension is .jsp.
 - (2) After developing the jsp page must & should we need to place inside the application scope root folder.

now we see the architecture of the jsp,



JSP Processing:-

(2)



- ① Web browser sends an HTTP request to the web server requesting Jsp page.
- ② Web server recognizes that the HTTP request by web browser is for Jsp page by checking the extension of the file (i.e.,jsp).
- ③ Webserver forwards HTTP Request to Jsp Container.
- ④ Jsp Container loads the Jsp page from disk & converts it into a servlet
- ⑤ Jsp container then compiles the servlet into an executable class and forward original request to a servlet container.
- ⑥ Servlet container loads & executes the servlet class.
- ⑦ Servlet produces and output in HTML format
- ⑧ Output produced by servlet container is then passed to the webserver inside an HTTP response.
- ⑨ Webserver sends the HTTP response to webbrowser in the form of static HTML content.
- ⑩ Web browser loads the static page into the browser & thus user can view the dynamically generated page.

Jsp Declaration tag:-

It is used to declare fields & methods.
the code written inside the jsp declaration tag is placed outside the service() method of auto generated Servlet.
so it doesn't get memory at each request.

Syntax:-

<%! field or method declaration %>

Example:- In this example of Jsp Declaration tag, we are declaring the field & printing the value of the declared field using the jsp expression tag.

index.jsp

<html>

<body>

<%! int data=50; %>

<% = "value of the variable is :" + data %>

</body>

</html>

Example of Jsp declaration

tag that declares method.

index.jsp

<html>

<body>

<%!

int cube(int n)

{

return n*n*n;

}

%>

<% = "cube of 3 is :" + cube(3) %>

</body>

</html>

JSP directives

The **jsp directives** are messages that tells the web container how to translate a JSP page into the corresponding servlet.

There are three types of directives:

- o page directive
- o include directive
- o taglib directive

Syntax of JSP Directive

```
<%@ directive attribute="value" %>
```

JSP page directive

The page directive defines attributes that apply to an entire JSP page.

Syntax of JSP page directive

```
<%@ page attribute="value" %>
```

Attributes of JSP page directive

- o import
- o contentType
- o extends
- o info
- o buffer
- o language
- o isELIgnored
- o isThreadSafe
- o autoFlush
- o session
- o pageEncoding
- o errorPage
- o isErrorPage

1)import

The import attribute is used to import class,interface or all the members of a package. It is similar to import keyword in java class or interface.

Example of import attribute

(2)

1. <html>
2. <body>
3. <%@ page import="java.util.Date" %>
4. Today is: <%= new Date() %>
- 5.
- 6.
7. </body>
8. </html>

2) contentType

The contentType attribute defines the MIME(Multipurpose Internet Mail Extension) type of the HTTP response. The default value is "text/html;charset=ISO-8859-1".

Example of contentType attribute

1. <html>
2. <body>
- 3.
4. <%@ page contentType=application/msword %>
5. Today is: <%= new java.util.Date() %>
- 6.
7. </body>
8. </html>
9. 3)extends

The extends attribute defines the parent class that will be inherited by the generated servlet. It is rarely used.

4)info

This attribute simply sets the information of the JSP page which is retrieved later by using getServletInfo() method of Servlet interface.

Example of info attribute

1. <html>
2. <body>
- 3.
4. <%@ page info="composed by Sonoo Jaiswal" %>
5. Today is: <%= new java.util.Date() %>
- 6.
7. </body>
8. </html>

The web container will create a method getServletInfo() in the resulting servlet. For example:

1. public String getServletInfo() {
2. return "composed by Sonoo Jaiswal";
3. }

5)buffer

The buffer attribute sets the buffer size in kilobytes to handle output generated by the JSP page. The default size of the buffer is 8Kb.

Example of buffer attribute

1. <html>
2. <body>
- 3.
4. <%@ page buffer="16kb" %>
5. Today is: <%= new java.util.Date() %>
- 6.
7. </body>
8. </html>

6)language

The language attribute specifies the scripting language used in the JSP page. The default value is "java".

7)isELIgnored

We can ignore the Expression Language (EL) in jsp by the isELIgnored attribute. By default its value is false i.e. Expression Language is enabled by default. We see Expression Language later.

1. <%@ page isELIgnored="true" %>//Now EL will be ignored

8)isThreadSafe

Servlet and JSP both are multithreaded. If you want to control this behaviour of JSP page, you can use isThreadSafe attribute of page directive. The value of isThreadSafe value is true. If you make it false, the web container will serialize the multiple requests, i.e. it will wait until the JSP finishes responding to a request before passing another request to it. If you make the value of isThreadSafe attribute like:

<%@ page isThreadSafe="false" %>

The web container in such a case, will generate the servlet as:

1. public class SimplePage_jsp extends HttpServlet

(X)

```
2. implements SingleThreadModel  
3. .....  
4. }
```

9) errorPage: The errorPage attribute is used to define the error page, if exception occurs in the current page, it will be redirected to the error page.

Example of errorPage attribute

```
1. //index.jsp  
2. <html>  
3. <body>  
4. <%@ page errorPage="myerrorpage.jsp" %>  
5. <%= 100/0 %>  
6.  
7.  
8.  
9. </body>  
10.</html>
```

10) isErrorPage

The isErrorPage attribute is used to declare that the current page is the error page.

Example of isErrorPage attribute

```
1. //myerrorpage.jsp  
2. <html>  
3. <body>  
4.  
5. <%@ page isErrorPage="true" %>  
6.  
7. Sorry an exception occurred!<br/>  
8. The exception is: <%= exception %>  
9.  
10.</body>  
11.</html>
```

Jsp Include Directive

The include directive is used to include the contents of any resource it may be jsp file, html file or text file. The include directive includes the original content of the included resource at page translation time (the jsp page is translated only once so it will be better to include static resource).

Advantage of Include directive

Code Reusability

Syntax of include directive

1. <%@ include file="resourceName" %>

Example of include directive

In this example, we are including the content of the header.html file. To run this example you must create an header.html file.

1. <html>
2. <body>
- 3.
4. <%@ include file="header.html" %>
- 5.
6. Today is: <%= java.util.Calendar.getInstance().getTime() %>
- 7.
8. </body>
9. </html>

JSP Taglib directive

The JSP taglib directive is used to define a tag library that defines many tags. We use the TLD (Tag Library Descriptor) file to define the tags. In the custom tag section we will use this tag so it will be better to learn it in custom tag.

Syntax JSP Taglib directive

1. <%@ taglib uri="uriofthetaglibrary" prefix="prefixoftaglibrary" %>

Example of JSP Taglib directive

In this example, we are using our tag named currentDate. To use this tag we must specify the taglib directive so the container may get information about the tag.

```
<html>
  <body>
    <%@ taglib uri="http://www.javatpoint.com/tags" prefix="mytag" %>
    <mytag:currentDate/>
  </body></html>
```



(6)

JSP Scriptlet tag (Scripting elements)

In JSP, java code can be written inside the jsp page using the scriptlet tag. Let's see what are the scripting elements first.

JSP Scripting elements

The scripting elements provides the ability to insert java code inside the jsp. There are three types of scripting elements:

- o scriptlet tag
- o expression tag
- o declaration tag

JSP scriptlet tag

A scriptlet tag is used to execute java source code in JSP. Syntax is as follows:

1. <% java source code %>

Example of JSP scriptlet tag

In this example, we are displaying a welcome message.

1. <html>
2. <body>
3. <% out.print("welcome to jsp"); %>
4. </body>
5. </html>

Example of JSP scriptlet tag that prints the user name

In this example, we have created two files index.html and welcome.jsp. The index.html file gets the username from the user and the welcome.jsp file prints the username with the welcome message.

File: index.html

1. <html>
2. <body>
3. <form action="welcome.jsp">
4. <input type="text" name="uname">

5. <input type="submit" value="go">

6. </form>
7. </body>
8. </html>

File: welcome.jsp

1. <html>
2. <body>
3. <%
4. String name=request.getParameter("uname");
5. out.print("welcome "+name);
6. %>
7. </form>
8. </body>
9. </html>

JSP expression tag

The code placed within **JSP expression tag** is written to the output stream of the response. So you need not write out.print() to write data. It is mainly used to print the values of variable or method.

Syntax of JSP expression tag

1. <%= statement %>

Example of JSP expression tag

In this example of jsp expression tag, we are simply displaying a welcome message.

1. <html>
2. <body>
3. <%= "welcome to jsp" %>
4. </body>
5. </html>

Example of JSP expression tag that prints current time

To display the current time, we have used the `getTime()` method of `Calendar` class. The `getTime()` is an instance method of `Calendar` class, so we have called it after getting the instance of `Calendar` class by the `getInstance()` method.

index.jsp

1. `<html>`
2. `<body>`
3. Current Time: `<%= java.util.Calendar.getInstance().getTime() %>`
4. `</body>`
5. `</html>`

Example of JSP expression tag that prints the user name

In this example, we are printing the username using the expression tag. The `index.html` file gets the username and sends the request to the `welcome.jsp` file, which displays the username.

File: index.jsp

1. `<html>`
2. `<body>`
3. `<form action="welcome.jsp">`
4. `<input type="text" name="uname">
`
5. `<input type="submit" value="go">`
6. `</form>`
7. `</body>`
8. `</html>`

File: welcome.jsp

1. `<html>`
2. `<body>`
3. `<%= "Welcome "+request.getParameter("uname") %>`
4. `</body>`
5. `</html>`

JSP Declaration Tag

The **JSP declaration tag** is used to *declare fields and methods*.

The code written inside the jsp declaration tag is placed outside the `service()` method of auto generated servlet.

So it doesn't get memory at each request.

Syntax of JSP declaration tag

The syntax of the declaration tag is as follows:

1. <%! field or method declaration %>

Difference between JSP Scriptlet tag and Declaration tag

Jsp Scriptlet Tag	Jsp Declaration Tag
The jsp scriptlet tag can only declare variables not methods.	The jsp declaration tag can declare variables as well as methods.
The declaration of scriptlet tag is placed inside the _jspService() method.	The declaration of jsp declaration tag is placed outside the _jspService() method.

Example of JSP declaration tag that declares field

In this example of JSP declaration tag, we are declaring the field and printing the value of the declared field using the jsp expression tag.

index.jsp

1. <html>
2. <body>
3. <%! int data=50; %>
4. <%= "Value of the variable is:"+data %>
5. </body>
6. </html>

Example of JSP declaration tag that declares method

In this example of JSP declaration tag, we are defining the method which returns the cube of given number and calling this method from the jsp expression tag. But we can also use jsp scriptlet tag to call the declared method.

index.jsp

1. <html>
2. <body>
3. <%!

```

4. int cube(int n){
5.     return n*n*n;
6. }
7. %>
8. <%= "Cube of 3 is:"+cube(3) %>
9. </body>
10.</html>

```

JSP Implicit Objects

There are **9 jsp implicit objects**. These objects are *created by the web container* that are available to all the jsp pages.

The available implicit objects are out, request, config, session, application etc.

A list of the 9 implicit objects is given below:

Object	Type
out	JspWriter
request	HttpServletRequest
response	HttpServletResponse
config	ServletConfig
application	ServletContext
session	HttpSession
pageContext	PageContext
page	Object
exception	Throwable

1) JSP out implicit object

For writing any data to the buffer, JSP provides an implicit object named **out**. It is the object of **JspWriter**. In case of servlet you need to write:

1. PrintWriter out=response.getWriter();

But in JSP, you don't need to write this code.


Example of out implicit object

In this example we are simply displaying date and time.

index.jsp

1. <html>
2. <body>
3. <% out.print("Today is:"+java.util.Calendar.getInstance().getTime()); %>
4. </body>
5. </html>

Output



javatpoint.com

2) JSP request implicit object

The **JSP request** is an implicit object of type `HttpServletRequest` i.e. created for each jsp request by the web container. It can be used to get request information such as parameter, header information, remote address, server name, server port, content type, character encoding etc.

It can also be used to set, get and remove attributes from the jsp request scope.

Let's see the simple example of request implicit object where we are printing the name of the user with welcome message.

Example of JSP request implicit object

index.html

1. <form action="welcome.jsp">



2. <input type="text" name="uname">
3. <input type="submit" value="go">

4. </form>

welcome.jsp

1. <%
2. String name=request.getParameter("uname");
3. out.print("welcome "+name);
4. %>

Output



3) JSP response implicit object

In JSP, response is an implicit object of type HttpServletResponse. The instance of HttpServletResponse is created by the web container for each jsp request.

It can be used to add or manipulate response such as redirect response to another resource, send error etc.

Let's see the example of response implicit object where we are redirecting the response to the Google.




Example of response implicit object

index.html

1. <form action="welcome.jsp">
 2. <input type="text" name="uname">
 3. <input type="submit" value="go">

 4. </form>
- welcome.jsp
1. <%
 2. response.sendRedirect("http://www.google.com");
 3. %>

Output



4) JSP config implicit object

In JSP, config is an implicit object of type ServletConfig. This object can be used to get initialization parameter for a particular JSP page. The config object is created by the web container for each jsp page.

Generally, it is used to get initialization parameter from the web.xml file.



Example of config implicit object:

index.html

```
1. <form action="welcome">
2. <input type="text" name="uname">
3. <input type="submit" value="go"><br/>
4. </form>
web.xml file
5. <web-app>
6.
7. <servlet>
8. <servlet-name>sonoojaiswal</servlet-name>
9. <jsp-file>/welcome.jsp</jsp-file>
10. </init-param>
11.
12. </servlet>
13.
14. <servlet-mapping>
15. <servlet-name>sonoojaiswal</servlet-name>
16. <url-pattern>/welcome</url-pattern>
17. </servlet-mapping>
18.
19. </web-app>
    welcome.jsp

1. <%
2. out.print("Welcome "+request.getParameter("uname"));
3.
4. String driver=config.getInitParameter("dname");
5. out.print("driver name is="+driver);
6. %>
```

Output



5) JSP application implicit object

In JSP, application is an implicit object of type *ServletContext*.

The instance of *ServletContext* is created only once by the web container when application or project is deployed on the server.

This object can be used to get initialization parameter from configuration file (web.xml). It can also be used to get, set or remove attribute from the application scope.

This initialization parameter can be used by all jsp pages.

Example of application implicit object:

index.html

1. <form action="welcome">
2. <input type="text" name="uname">
3. <input type="submit" value="go">



4. </form>

web.xml file

1. <web-app>
- 2.
3. <servlet>

```
4. <servlet-name>sonoojaiswal</servlet-name>
5. <jsp-file>/welcome.jsp</jsp-file>
6. </servlet>
7.
8. <servlet-mapping>
9. <servlet-name>sonoojaiswal</servlet-name>
10. <url-pattern>/welcome</url-pattern>
11. </servlet-mapping>
12.
13. <context-param>
14. <param-name>dname</param-name>
15. <param-value>sun.jdbc.odbc.JdbcOdbcDriver</param-value>
16. </context-param>
17.
18. </web-app>
    welcome.jsp
    _____
1. <%
2.
3. out.print("Welcome "+request.getParameter("uname"));
4.
5. String driver=application.getInitParameter("dname");
6. out.print("driver name is="+driver);
7.
8. %>
```

Output



6) session implicit object

In JSP, session is an implicit object of type HttpSession. The Java developer can use this object to set, get or remove attribute or to get session information.

Example of session implicit object

index.html

1. <html>
2. <body>
3. <form action="welcome.jsp">
4. <input type="text" name="uname">
5. <input type="submit" value="go">

6. </form>
7. </body>
8. </html>




welcome.jsp

```
1. <html>
2. <body>
3. <%
4.
5. String name=request.getParameter("uname");
6. out.print("Welcome "+name);
7.
8. session.setAttribute("user",name);
9.
10.<a href="second.jsp">second jsp page</a>
11.
12. %>
13. </body>
14. </html>
```

second.jsp

```
1. <html>
2. <body>
3. <%
4.
5. String name=(String)session.getAttribute("user");
6. out.print("Hello "+name);
7.
8. %>
9. </body>
10.</html>
```

Output



7) pageContext implicit object

In JSP, pageContext is an implicit object of type PageContext class. The pageContext object can be used to set, get or remove attribute from one of the following scopes:

- page
- request
- session
- application

In JSP, page scope is the default scope.

Example of pageContext implicit object

index.html

```
1. <html>
2. <body>
3. <form action="welcome.jsp">
4.   <input type="text" name="uname">
5.   <input type="submit" value="go"><br/>
6. </form>
7. </body>
8. </html>
```

welcome.jsp

```
1. <html>
2. <body>
3. <%
4.
5. String name=request.getParameter("uname");
6. out.print("Welcome "+name);
7.
8. pageContext.setAttribute("user",name,PageContext.SESSION_SCOPE);
9.
10.<a href="second.jsp">second jsp page</a>
11.
12.%>
13.</body>
14.</html>
```


second.jsp

```
1. <html>
2. <body>
3. <%
4.
5. String name=(String)pageContext.getAttribute("user",PageContext.SESSION_SCOPE);
6. out.print("Hello "+name);
7.
```

(13)

8. %>
9. </body>
10. </html>

Output



8) page implicit object:

In JSP, page is an implicit object of type Object class. This object is assigned to the reference of auto generated servlet class. It is written as:

Object page=this;

29

For using this object it must be cast to Servlet type. For example:
`<% (HttpServletRequest)page.log("message"); %>`

Since, it is of type Object it is less used because you can use this object directly in jsp. For example:

`<% this.log("message"); %>`

9) exception implicit object

In JSP, exception is an implicit object of type `java.lang.Throwable`. This object can be used to print the exception. But it can only be used in error pages. It is better to learn it after page directive. Let's see a simple example:

Example of exception implicit object:

error.jsp

1. `<%@ page isErrorPage="true" %>`
2. `<html>`
3. `<body>`
- 4.
5. Sorry following exception occurred: `<%= exception %>`
- 6.
7. `</body>`
8. `</html>`

To get the full example, click here [full example of exception handling in jsp](#). But, it will be better to learn it after the JSP Directives.

Java Bean

A Java Bean is a java class that should follow following conventions:

- It should have a no-arg constructor. (*A JavaBean must have a public - (a default constructor)*)
- It should be Serializable.
- It should provide methods to set and get the values of the properties, known as getter and setter methods.

Why use Java Bean?

According to Java white paper, it is a reusable software component. A bean encapsulates many objects into one object, so we can access this object from multiple places. Moreover, it provides the easy maintenance.

Simple example of java bean class

```

1. //Employee.java
2.
3. package mypack;
4. public class Employee implements java.io.Serializable{
5.     private int id;
6.     private String name;
7.
8.     public Employee(){}
9.
10.    public void setId(int id){this.id=id;}
11.
12.    public int getId(){return id;}
13.
14.    public void setName(String name){this.name=name;}
15.
16.    public String getName(){return name;}
17.
18. }
```

How to access the java bean class?

To access the java bean class, we should use getter and setter methods.

```

1. package mypack;
2. public class Test{
3.     public static void main(String args[]){
4.
5.         Employee e=new Employee(); //object is created
6.
7.         e.setName("Arjun"); //setting value to the object
8.
9.         System.out.println(e.getName());
```

```
10.  
11.    })
```

/jsp:useBean action tag

The jsp:useBean action tag is used to locate or instantiate a bean class. If bean object of the Bean class is already created, it doesn't create the bean depending on the scope. But if object of bean is not created, it instantiates the bean.

Syntax of jsp:useBean action tag

1. <jsp:useBean id= "instanceName" scope= "page | request | session | application"
2. class= "packageName.className" type= "packageName.className"
3. beanName="packageName.className | <%= expression >" >
4. </jsp:useBean>

Attributes and Usage of jsp:useBean action tag

1. **id:** is used to identify the bean in the specified scope.
2. **scope:** represents the scope of the bean. It may be page, request, session or application. The default scope is page.
 - **page:** specifies that you can use this bean within the JSP page. The default scope is page.
 - **request:** specifies that you can use this bean from any JSP page that processes the same request. It has wider scope than page.
 - **session:** specifies that you can use this bean from any JSP page in the same session whether processes the same request or not. It has wider scope than request.
 - **application:** specifies that you can use this bean from any JSP page in the same application. It has wider scope than session.
3. **class:** instantiates the specified bean class (i.e. creates an object of the bean class) but it must have no-arg or no constructor and must not be abstract.
4. **type:** provides the bean a data type if the bean already exists in the scope. It is mainly used with class or beanName attribute. If you use it without class or beanName, no bean is instantiated.
5. **beanName:** instantiates the bean using the java.beans.Beans.instantiate() method.

Simple example of jsp:useBean action tag


In this example, we are simply invoking the method of the Bean class.

Calculator.java (a simple Bean class)

```
1. package com.javatpoint;  
2. public class Calculator{  
3.  
4.     public int cube(int n){return n*n*n;}  
5.  
6. }
```

index.jsp file

```
<jsp:useBean id="obj" class="com.javatpoint.Calculator"/>
<%
int m=obj.cube(5);
out.print("cube of 5 is "+m);
%>
```



Connecting to database in JSP:

```
<%@ page import="java.sql.*" %>
<% Class.forName("sun.jdbc.odbc.JdbcOdbcDriver"); %>

<HTML>
<HEAD>
<TITLE>The Publishers Database Table </TITLE>
</HEAD>

<BODY>
<H1>The Publishers Database Table </H1>

<%
Connection connection = DriverManager.getConnection(
    "jdbc:odbc:data", "userName", "password");
Statement statement = connection.createStatement();
ResultSet resultset = statement.executeQuery("select * from Publishers");
%>

<TABLE BORDER="1">
<TR>
<TH>ID</TH>
<TH>Name</TH>
<TH>City</TH>
<TH>State</TH>
<TH>Country</TH>
</TR>
<% while(resultset.next()) { %>
<TR>
<TD><%= resultset.getString(1) %></td>
```

5/2/15

```
<TD><%= resultset.getString(2) %></TD>
<TD><%= resultset.getString(3) %></TD>
<TD><%= resultset.getString(4) %></TD>
<TD><%= resultset.getString(5) %></TD>
</TR>
<% } %>
</TABLE>
</BODY>
</HTML>
```

A Java Bean is an java class
Accessing JavaBean in JSP:-

Basic JSP tags:-

```
<jsp:useBean id="bean's name" scope="bean's scope" class="bean's class name"/>
<jsp:setProperty name="bean's id" property="Property name" value="Value"/>
<jsp:getProperty name="bean's id" property="property name"/>
```